

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International Advanced Subsidiary and Advanced Level

[www.PapaCambridge.com](http://www.PapaCambridge.com)

## **MARK SCHEME for the October/November 2014 series**

### **9700 BIOLOGY**

**9700/35**

Paper 3 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syllabus
	Cambridge International AS/A Level – October/November 2014	970

Mark scheme abbreviations:

- ;  
/
  - R**
  - A**
  - AW**
  - underline**
  - max**
  - ora**
  - mp**
  - ecf**
  - I**
- separates marking points  
alternative answers for the same point  
reject  
accept (for answers correctly cued by the question, or by extra guidance)  
alternative wording (where responses vary more than usual)  
actual word given must be used by candidate (grammatical variants accepted)  
indicates the maximum number of marks that can be given  
or reverse argument  
marking point (with relevant number)  
error carried forward  
ignore

Page 3	Mark Scheme	Syllabus	Number
	Cambridge International AS/A Level – October/November 2014	970	

- 1 (a) (i) (10) 5 + 2.5 + 1.25 + 0.625/0.63 + percentage at least once ;  
 shows transfer of 20 cm<sup>3</sup> of suspension from previous beaker to 4 beakers ;  
 adds 20 cm<sup>3</sup> of water / **W** / H<sub>2</sub>O to 4 beakers ; [3]
- (ii) 1 all columns separated by a line + all headings underlined (or all rows separated by a line) ;  
 2 (top or left of data) percent(age)/% concentration of **Y** or yeast + (any column/row headed) colour/observation/appearance ;  
 3 records colours for at least 3 concentrations ;  
 4 records correct pattern ;  
 5 repeats ; [5]
- (iii) ± + half smallest division + cm<sup>3</sup> ; [1]
- (iv) colour (change) + difficult to judge/see/identify ; [1]
- (v) 1 use different indicator ;  
 2 repeat ;  
 3 put glucose solution in water-bath to equilibrate ;  
 4 use set of colour standards in order to judge final colours ; [max 1]
- (b) (i) 1 selects two variables ;  
*max 2 for description of 2 methods – must have variable + description:*  
 2 pH + use of buffers ;  
 3 temperature + use thermostatically-controlled water-bath ;  
 4 type of milk/age of milk + same type/same age ;  
 5 size of beads/surface area/number of beads + use ruler/count beads ; [max 3]
- (ii) 1 (label on x-axis) time alginate beads in contact with milk / minutes / mins + (label on y-axis) percentage / % hydrolysis (of) lactose ;  
 2 (scale on x-axis) 20 to 2 cm + labelled each 2 cm (except origin and 120) + (scale on y-axis) 20 to 2 cm + labelled each 2 cm (except origin and 100) ;  
 3 correct plotting of 5 points as small cross or dot (in circle) or cross in a circle ;  
 4 5 plots + ruled lines exactly point to point or curve through all plots + sharp line (less than line thickness on grid) ; [4]

Page 4	Mark Scheme	Syllabus Paper
	Cambridge International AS/A Level – October/November 2014	970

- (iii) correct answer according to graph ;
- (iv) less contact time + fewer enzyme substrate complexes/ESCs ;
- (v) less substrate available/reference to equilibrium/end product inhibition ; [1]

[Total: 21]

- 2 (a) (i) 1 at least 2 cells in each (I, M and DW)  
+ size at least 60 mm across widest point of widest cell  
+ sharp continuous line for outermost line of each of the cells ;
- 2 3 groups of 2 cells + in each of the 3 groups the 2 cells touching ;
- 3 double lines for cell walls (for at least two cells) with middle lamella ;
- 4 at least one nucleus shown ;
- 5 nuclei uneven sizes ;
- 6 label with label line to one nucleus ; [6]
- (ii) colour different/acceptable answer from candidates drawings ; [1]
- (b) (i) folds/ridges/pits/grooves/projections/AW + large surface area ; [1]
- (ii) only three extensions into the projection + width at widest point at least 60mm  
+ no shading ;
- no cells drawn + only drawn section in the box ;
- at least one taste bud on each side of projection + irregular upper surface ;
- draws tissues in correct proportion ; [4]

- (c) (i) 1 organise as a table + 2 columns headed Fig 2.3 and Fig. 2.4 (in any order) + third column or row containing at least one feature ;

*observable differences max 3 – see table below:*

mp	(feature)	Fig. 2.3	Fig 2.4
2	furrows between projections/papillae/AW	(relative to Fig. 2.4) deep(er) or long(er) wider	(relative to Fig. 2.3) shallow(er) or short(er) narrower ;
3	shape of projection/AW	(relative to Fig. 2.4) long(er)/columnar/elongated/ rectangular/AW <i>not finger-like</i>	(relative to Fig. 2.3) Round/oval/circular/shorter/ AW ;
4	taste buds	(relative to Fig. 2.4) visible/present/large(r)	(relative to Fig. 2.3) not seen/absent/small(er) ;
5	<b>E</b> (epithelial layer)  surface of layer <b>E</b>	(relative to Fig. 2.4) thick(er)/wide(r)/large(r)/ long(er)  rough/wavy/uneven	(relative to Fig. 2.3) narrow(er)/thin(ner)/small(er) /short(er) rounded/smooth ;
6	<b>L</b> layer  surface of layer	(relative to Fig. 2.4) narrow (er)/thin(ner)/small (er)  rounded/smooth	(relative to Fig. 2.3) thick(er)/wide(r)/large(r)  wavy/uneven/rough ;
7	extensions into projection/AW	(relative to Fig. 2.4) 3 extensions/more	(relative to Fig. 2.3) 1 extension/less ;

[max4]

- (ii) measures width of line **E**  $\pm$  1 mm + width of line **L** + units ;

shows **L** divided by **E** ;

answer as larger whole number to: smaller whole number ;

[3]

[Total: 19]