

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International Advanced Subsidiary and Advanced Level

[www.PapaCambridge.com](http://www.PapaCambridge.com)

## **MARK SCHEME for the October/November 2014 series**

### **9691 COMPUTING**

**9691/23**

Paper 2 (Written Paper), maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	System	Number
	Cambridge International AS/A Level – October/November 2014	969	

1 (a) DIM Tally[1 : 4] OF INTEGER

*1 mark for size*

*1 mark for data type (must be integer)*

(b) (i) PROCEDURE InitialiseArrayCounts

**DECLARE** i : INTEGER

**FOR** i ← 1 TO 4

        Tally[i] ← 0

**ENDFOR**

ENDPROCEDURE

*1 mark for declaration/local variable*

*1 mark for loop 1 to 4*

*1 mark for array element set to 0*

PROCEDURE InputStudentChoices

**REPEAT**

**INPUT** Choice

        Tally[Choice] ← Tally[Choice] + 1

**UNTIL** Choice = 0

ENDPROCEDURE

*1 mark for replacing CASE statement with single array element assignment*

[4]

(ii) Football

Accept f.t. from (b)(i) (if array elements not numbered 1 to 4)

[1]

(c) PROCEDURE OutputTallyChart

    OUTPUT "1 Cricket "

    OutputTally(Tally[1])

    OUTPUT "2 Football "

    OutputTally(Tally[2])

    OUTPUT "3 Tennis "

    OutputTally(Tally[3])

    OUTPUT "4 Swimming "

    OutputTally(Tally[4])

ENDPROCEDURE

*2 marks for all 4 array elements correct. 1 mark for 3 correct.*

PROCEDURE OutputTally(SportCount : INTEGER)

**IF** SportCount > 0 // 1 mark

**THEN**

**FOR** i ← 1 TO SportCount // 1 mark

                OUTPUT ` `

**ENDFOR** // 1 mark

**ENDIF**

**OUTPUT NEWLINE** // 1 mark

ENDPROCEDURE

[6]

(d)

Type of test data	Example test data	Justification
Normal	e.g. 1 or greater	Check correct number of bars output
Boundary	0	0 is smallest possible value And no bars should be output
Extreme	e.g. 2000	How is the procedure going to deal with a large number, more than bars fit on a line

1 mark for each cell


[9]

- (e) (i) – indentation
- meaningful identifiers
- initialising variables
- annotation
- parameters
- capitalisation of keywords
- modular structure


[3]

- (ii) – declaring variables/constants
- local variables

[1]



2 (a)



[9]

Page 5	Mark Scheme	System Paper
	Cambridge International AS/A Level – October/November 2014	969

(b) FUNCTION FindPassword(ThisUserID : STRING) RETURNS STRING  
// 1 mark

```

DECLARE Found : BOOLEAN
OPENFILE FOR INPUT
Found ← FALSE
WHILE NOT EOF AND Found = FALSE // 2 marks
    FILEREAD next record
    IF UserID = ThisUserID // 1 mark
        THEN
            Found ← TRUE // 1 mark
        ENDIF
    ENDWHILE
IF Found = TRUE // 1 mark
    THEN
        RETURN EncryptedPassword // 1 mark
    ELSE
        RETURN Error code // 1 mark
    ENDIF
CLOSEFILE
ENDFUNCTION

```

[8]

Alternative part:

```

IF Found = False // 1 mark
    THEN
        RETURN Error code // 1 mark
    ELSE
        RETURN EncryptedPassword // 1 mark
    ENDIF

```

Page 6	Mark Scheme	System	Number
	Cambridge International AS/A Level – October/November 2014	969	

- 3 (a) (i) Mark as follows:  
1 mark for a heading  
1 mark for input boxes with units  
1 mark for text output box with description  
1 mark for button "calculate" or similar  
Accept console mode design [4]
- (ii) 1 mark for explanation that fits design of (a)(i). [1]
- (b) (RoomWidth >=100) AND (RoomWidth < 1000)  
1 mark for each bracketed part  
1 mark for AND [3]
- (c) (i) 3 [1]
- (ii) RoomWidth MOD 30 > 0 // RoomWidth MOD 30 != 0 [1]
- (iii) e.g. Pascal
- ```
TilesForWidth := RoomWidth DIV 30;  
IF RoomWidth MOD 30 > 0  
    THEN TilesForWidth := TilesForWidth + 1;  
TilesForLength := RoomLength DIV 30;  
IF RoomLength MOD 30 > 0  
    THEN TilesForLength := TilesForLength + 1;  
TilesRequired := TilesForWidth * TilesForLength * 1.1; // +10%
```
- 1 mark for calculating tiles for length  
1 mark for calculating tiles for width  
1 mark for rounding up when needed  
1 mark for multiplying TilesForWidth and TilesForLength  
1 mark for adding 10% of total tiles required [5]

|        |                                                            |          |
|--------|------------------------------------------------------------|----------|
| Page 7 | Mark Scheme                                                | Syllabus |
|        | Cambridge International AS/A Level – October/November 2014 | 969      |

4 (a) (i) for example: 0 & -1 // TRUE & FALSE // 'O' & 'X'

(ii) e.g. Pascal

```
VAR FloorDesign: ARRAY[1..35, 1..35] OF CHAR; // 2 marks
(1 mark for correct dimensions, 1 mark for data type to match assignment below)
FOR i := 1 TO 35 DO // 1 mark
    FOR j := 1 TO 35 DO // 1 mark
        FloorDesign[i,j] := 'O'; // 1 mark
```

[5]

(b) NumberOfWhiteTiles  $\leftarrow$  0

NumberOfColourTiles  $\leftarrow$  0

FOR a  $\leftarrow$  1 TO 15

FOR b  $\leftarrow$  1 TO 10

IF FloorDesign[a,b] = 'X'

THEN

NumberOfColourTiles  $\leftarrow$  NumberOfColourTiles + 1

ELSE

NumberOfWhiteTiles  $\leftarrow$  NumberOfWhiteTiles + 1

ENDIF

ENDFOR

ENDFOR

Mark as follows:

*1 mark for initialisation*

*1 mark for loops with correct ranges*

*1 mark for correct nesting*

*1 mark for testing array element*

*1 mark for updating count of coloured tiles*

*1 mark for calculating number of white tiles (counting or subtracting)*

[6]

5 (a)

| a  | x   | $a \geq x$ |
|----|-----|------------|
| 13 |     |            |
|    | 8   |            |
|    |     | TRUE       |
| 5  |     |            |
|    | 4   |            |
|    |     | TRUE       |
| 1  |     |            |
|    | 2   |            |
|    |     | FALSE      |
|    | 1   |            |
|    |     | TRUE       |
| 0  |     |            |
|    | 0.5 |            |

Output: 1 1 0 1

1 mark for each correct column

1 mark for correct output, in this order.

[4]

(b) converts denary number to binary // converts 13 to binary

[1]