



**CHEMISTRY**

0620/52

Paper 5 Practical Test

October/November 2013

CONFIDENTIAL INSTRUCTIONS

**Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.**

**READ THESE INSTRUCTIONS FIRST**

The teacher responsible for preparing the examination is **not** allowed to consult the question paper before the examination. Teachers should, as part of the preparation of the examination requirements, carry out any tests indicated on page 2 in order to satisfy themselves that the supplied materials are satisfactory.

The standard Report Form to be included with the scripts is given on pages 7 and 8. Please detach and enclose it with the scripts. If scripts are despatched in more than one envelope, it is essential that a copy of the Supervisor's Results and of the Report Form are sent inside **each** envelope.

More material may be issued if required, without penalty, but this should not be necessary. Safety spectacles may be provided if considered necessary.

Supervisors are advised to remind candidates that all substances in the examination should be treated with caution. Please also see under 'General Apparatus' on the use of pipette fillers and safety goggles.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn, in particular, to certain materials used in the examination. The following codes are used where relevant.

**C** = corrosive substance

**F** = highly flammable substance

**H** = harmful or irritating substance

**O** = oxidising substance

**N** = harmful to the environment

**T** = toxic substance

Hazard data sheets should be available from your suppliers.

If you have any queries regarding these Instructions, please contact CIE

by e-mail: info@cie.org.uk,

by phone: +44 1223 553554,

by fax: +44 1223 553558,

stating the Centre number, the nature of the query and the syllabus number quoted above.

This document consists of **8** printed pages.



\* 9 6 6 8 9 3 3 7 3 5 5 \*

**For Question 1**

*Each candidate will require*

- (a) one 25 cm<sup>3</sup> or 50 cm<sup>3</sup> measuring cylinder
- (b) one 50 cm<sup>3</sup> burette
- (c) one 250 cm<sup>3</sup> conical flask
- [H] (d) 100 cm<sup>3</sup> of aqueous sodium hydroxide of concentration 0.2 mol / dm<sup>3</sup> labelled **sodium hydroxide solution for question 1**
- (e) 100 cm<sup>3</sup> of aqueous hydrochloric acid of concentration 0.2 mol / dm<sup>3</sup> labelled **acid K**
- (f) 0.3 g of powdered calcium carbonate labelled **calcium carbonate**
- (g) access to water and distilled water
- (h) phenolphthalein indicator
- (i) white tile
- (j) one funnel for filling burette

**For Question 2**

Each candidate will require

- (a) a stoppered test-tube containing about 10 cm<sup>3</sup> of an aqueous solution of potassium iodide, KI, of concentration 0.2 mol/dm<sup>3</sup> labelled **liquid L**
- (b) a stoppered test-tube containing about 3 cm<sup>3</sup> of liquid paraffin (medicinal paraffin), labelled **liquid M**

**Do not use the paraffin used in heaters.**

- [N] [H] (c) a stoppered dry test-tube containing one small crystal of iodine, labelled **iodine**

**The Supervisor should advise the candidates not to touch the crystal.**

- (d) rack of test-tubes
  - (e) cork or bung to fit test-tubes
  - (f) distilled water
  - (g) aqueous barium nitrate of concentration suitable to give a positive test for sulfate ions
  - (h) aqueous copper sulfate of concentration 0.1 mol/dm<sup>3</sup>
- [F] [H] (i) 2 cm<sup>3</sup> of ethanol, labelled **ethanol**
- [N] [H] (j) aqueous silver nitrate of concentration suitable to give a positive halide test
- [C] (k) aqueous nitric acid of concentration 1.0 mol/dm<sup>3</sup>
- [C] (l) aqueous sodium hydroxide of concentration 1.0 mol/dm<sup>3</sup>
- [H] (m) 2 cm<sup>3</sup> of 20 volume hydrogen peroxide solution, labelled **hydrogen peroxide**
- (n) starch indicator solution, labelled **starch solution**
  - (o) one 10 cm<sup>3</sup> measuring cylinder
  - (p) teat pipettes
  - (q) access to a clock or stopwatch

Labels do not need to include concentrations.

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8



THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

This form must be completed and returned in the envelope with the scripts.

REPORT ON PRACTICAL CHEMISTRY

NOVEMBER 2013

www.PapaCambridge.com

1 (a) Supervisor's Results

It is recommended that the Supervisor should be a chemistry teacher.

The Supervisor is asked to carry out the experiments in Questions 1 and 2 and to record the results on a spare copy of the question paper clearly labelled 'Supervisor's Results'. Failure to enclose these results and this report form may lead to candidates being unavoidably penalised.

(b) The candidate numbers of candidates in each session were:

*First session*

*Second session*



- 2 The Supervisor is invited to report details of any difficulties experienced by candidates and candidate numbers. The report should include reference to:
- (a) any general difficulties encountered in making preparations for the examination;
  - (b) difficulties due to faulty apparatus or materials;
  - (c) accidents to apparatus or materials.

Other cases of individual hardship, e.g. illness, temporary disability, should be reported direct to UCLES on the normal *Application for Special Consideration* form.

NAME OF CENTRE .....

CENTRE NUMBER .....

SIGNED .....

*Supervisor*

**DECLARATION (to be signed by the Principal)**

The preparation of this practical examination has been carried out so as to maintain fully the security of the examination.

NAME .....  
(in block capitals)

SIGNED ..... (Principal)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.