

CHEMISTRY

Paper 1 Multiple Choice (Core)

0620/11 October/November 2019

45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.

This document consists of 14 printed pages and 2 blank pages.

IB19 11_0620_11/3RP © UCLES 2019 Cambridge Assessment



1 The diagram shows a cup of hot tea.



Which row describes the water particles in the air above the cup compared with the water particles in the cup?

	moving faster	closer together
Α	1	x
в	1	1
С	x	x
D	×	1

2 A student is asked to measure the time taken for 0.4g of magnesium carbonate to react completely with 25.0 cm³ of dilute hydrochloric acid.

Which pieces of apparatus does the student need?

- A balance, stop-clock, pipette
- **B** balance, stop-clock, thermometer
- **C** balance, pipette, thermometer
- D stop-clock, pipette, thermometer
- **3** A fractionating column is used to separate the hydrocarbon fractions in petroleum by fractional distillation.

Which row describes the properties of the fractions that condense at the top of the fractionating column?

	size of molecule	boiling point
Α	large	high
в	large	low
С	small	high
D	small	low



- 4 Some information about solid silver chloride and solid sodium chloride is shown.
 - Silver chloride and sodium chloride do not dissolve in kerosene.
 - Silver chloride is insoluble in water but sodium chloride is soluble in water.
 - The boiling point of silver chloride is 1547 °C and the boiling point of sodium chloride is 1413 °C.

Which processes are used to separate a mixture of solid silver chloride and solid sodium chloride?

- **A** Add kerosene, stir and then filter.
- **B** Add water, stir and then filter.
- **C** Add water, stir and then leave to crystallise.
- **D** Add water, stir and then perform fractional distillation.
- **5** A covalent molecule M contains four shared pairs of electrons.

What is M?

- **A** ammonia, NH₃
- **B** hydrogen chloride, HCl
- **C** methane, CH₄
- **D** water, H₂O
- 6 An isotope of chromium is represented by $^{52}_{24} Cr$.

Which statement about an atom of this isotope of chromium is correct?

- A It contains 24 electrons.
- B It contains 24 neutrons.
- **C** It contains 28 protons.
- D It contains 52 neutrons.



7 Substances P and Q both conduct electricity.

P is a mixture of two different types of atom.

Q is made of only one type of atom.


Which row describes P and Q?

	Р	Q
Α	alloy	element
в	alloy	compound
С	compound	alloy
D	compound	element

8 Graphite is a form of carbon.

Why can graphite be used as a lubricant?

- **A** Graphite contains unbonded electrons which move through the structure.
- **B** Graphite contains weak covalent bonds so the atoms move easily.
- **C** Graphite has a low melting point so it easily turns into a liquid.
- **D** Graphite has weak attractive forces between layers so they can move.
- 9 The structure of a molecule is shown.



What is the formula of the molecule?

A CHO **B** C_2H_5O **C** C_4H_8O **D** $C_4H_{10}O$

10 During the electrolysis of concentrated hydrochloric acid, gases are produced at both electrodes.Which statement describes the test result for the gas collected at the negative electrode?

- A It bleaches damp litmus paper.
- **B** It burns with a 'pop'.
- **C** It relights a glowing splint.
- D It turns limewater milky.

0620/11/O/N/19



- 11 Which statements about endothermic reactions are correct?
 - 1 The energy of the products is greater than the energy of the reactants.
 - 2 The energy of the reactants is greater than the energy of the products.
 - 3 The temperature of the surroundings increases during the reaction.
 - 4 The temperature of the surroundings decreases during the reaction.
 - A 1 and 3 only B 1 and 4 only C 2 and 3 only D 2 and 4 only
- **12** Equations for the formation of anhydrous cobalt(II) chloride and anhydrous copper(II) sulfate are shown.

 $CoCl_2 \bullet 6H_2O \rightarrow CoCl_2 + 6H_2O$

 $CuSO_4 \bullet 5H_2O \rightarrow CuSO_4 + 5H_2O$

Which statement about the reactions is not correct?

- **A** Both reactions are exothermic.
- **B** Both reactions are reversible.
- **C** Hydrated cobalt(II) chloride changes colour from pink to blue.
- **D** Hydrated copper(II) sulfate changes colour from blue to white.
- **13** A method used to investigate the rate of reaction of calcium carbonate with dilute hydrochloric acid under different conditions is shown.
 - Place 50 cm³ of dilute hydrochloric acid in a conical flask.
 - Add a known volume of water to the conical flask.
 - Heat the conical flask to the required temperature.
 - Add 1.0 g of calcium carbonate to the conical flask.
 - Measure the time taken for the reaction to finish.

Which volume of water and which temperature gives the shortest time taken for the reaction to finish?

	volume of water added/cm ³	temperature /°C
Α	10	30
в	10	50
С	40	30
D	40	50



- 14 Which is a chemical change?
 - A boiling water
 - B cooking an egg
 - C dissolving sugar
 - **D** melting ice cubes
- **15** Mercury(II) oxide, HgO, decomposes when heated.

The equation is shown.

 $2HgO \rightarrow 2Hg + O_2$

Why is this a reduction reaction?

- A The products weigh less than the reactants.
- **B** There are fewer reactants than products.
- **C** There is a gain of oxygen.
- **D** There is a loss of oxygen.
- **16** Carbonic acid is a weak acid formed when carbon dioxide dissolves in water.

What is the pH of the solution?

	Α	1	В	5	C 7	D	9
--	---	---	---	---	------------	---	---

17 Solid X is tested as shown.

reaction with dilute aqueous sodium hydroxide	flame test	reaction with dilute hydrochloric acid
no reaction	red flame	gas produced which turned limewater milky

What is X?

- A copper(II) carbonate
- B lithium carbonate
- C potassium carbonate
- D sodium sulfate



- **18** Which oxide is basic?
 - A carbon dioxide
 - B sodium oxide
 - **C** sulfur dioxide
 - D water
- **19** A method used to make copper(II) sulfate crystals is shown.
 - 1 Place dilute sulfuric acid in a beaker.
 - 2 Warm the acid.
 - 3 Add copper(II) oxide until it is in excess.
 - 4 Filter the mixture.
 - 5 Evaporate the filtrate until crystals start to form.
 - 6 Leave the filtrate to cool.

What are the purposes of step 3 and step 4?

	step 3	step 4
Α	to ensure all of the acid has reacted	to obtain solid copper(II) sulfate
в	to ensure all of the acid has reacted	to remove the excess of copper(II) oxide
С	to speed up the reaction	to obtain solid copper(II) sulfate
D	to speed up the reaction	to remove the excess of copper(II) oxide


- **20** Which set of elements shows the change from metallic to non-metallic character across a period of the Periodic Table?
 - **A** beryllium \rightarrow magnesium \rightarrow calcium
 - $\textbf{B} \quad \text{fluorine} \rightarrow \text{bromine} \rightarrow \text{iodine}$
 - **C** oxygen \rightarrow boron \rightarrow lithium
 - $\textbf{D} \quad \text{sodium} \rightarrow \text{silicon} \rightarrow \text{chlorine}$
- 21 Which pair of elements reacts together most violently?
 - A chlorine and lithium
 - **B** chlorine and potassium
 - C iodine and lithium
 - **D** iodine and potassium

0620/11/O/N/19



- 22 What is not a typical property of a transition element?
 - A acts as a catalyst
 - **B** forms coloured compounds
 - **C** has a high melting point
 - D has a low density
- 23 Part of the Periodic Table is shown.

Which element is used to provide an inert atmosphere?



- 24 Some properties of substance X are listed.
 - It conducts electricity when molten.
 - It has a high melting point.
 - It burns in oxygen and the oxide dissolves in water to give a solution with pH 11.

What is X?

- **A** a covalent compound
- B a macromolecule
- **C** a metal
- D an ionic compound



25 Four different metals are reacted with an equal volume of dilute hydrochloric acid. The results of the reactions are shown.

metal	rate of effervescence
calcium	very high
copper	none
iron	low
magnesium	high

What is the order of reactivity of the four metals starting with the most reactive?

- **A** iron \rightarrow magnesium \rightarrow calcium \rightarrow copper
- $\textbf{B} \quad \text{magnesium} \rightarrow \text{calcium} \rightarrow \text{copper} \rightarrow \text{iron}$
- **C** copper \rightarrow iron \rightarrow magnesium \rightarrow calcium
- $\textbf{D} \quad \text{calcium} \rightarrow \text{magnesium} \rightarrow \text{iron} \rightarrow \text{copper}$
- 26 Iron is extracted from its ore in a blast furnace.

The equations for four different reactions are shown.

1 4Fe + $3CO_2 \rightarrow 2Fe_2O_3$ + 3C $CO_2 \rightarrow C + O_2$ $CO_2 + C \rightarrow 2CO$ $Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$

Which equations represent reactions that occur in the blast furnace?

A 1 and 2 only B 1 and 3 only C 2 and 3 only D 3 and 4 only

- 27 Which statement is correct?
 - A Aluminium is used in the manufacture of aircraft because it has a high density.
 - **B** Copper is used for cooking utensils because it is a good conductor of heat.
 - **C** Mild steel is used for car bodies because it is resistant to corrosion.
 - D Stainless steel is used for cutlery because it is a conductor of electricity.



28 River water contains soluble impurities, insoluble impurities and bacteria.

River water is made safe to drink by filtration and chlorination.

Which statement is correct?


- A Filtration removes bacteria and insoluble impurities, and chlorination removes soluble impurities.
- **B** Filtration removes insoluble impurities, and chlorination kills the bacteria.
- **C** Filtration removes soluble and insoluble impurities, and chlorination kills the bacteria.
- **D** Filtration removes soluble impurities and bacteria, and chlorination removes insoluble impurities.
- **29** Clean, dry air contains nitrogen, oxygen and small amounts of other gases. The noble gases have been left out of the table.

	nitrogen/%	oxygen/%	other gases
Α	21	78	small amount of carbon dioxide
в	21	78	small amount of carbon monoxide
С	78	21	small amount of carbon dioxide
D	78	21	small amount of carbon monoxide


Which row shows the composition of clean, dry air?



30 The apparatus shown is set up and left for a week.



Which diagram shows the level of the water at the end of the week?



31 Farmers add calcium oxide (lime) and ammonium salts to their fields.

The compounds are not added at the same time because they react with each other.

Which gas is produced in this reaction?

- A ammonia
- B carbon dioxide
- C hydrogen
- D nitrogen
- **32** Which information about carbon dioxide and methane is correct?

		carbon dioxide	methane	
Α	formed when vegetation decomposes	\checkmark	x	key
в	greenhouse gas	\checkmark	\checkmark	✓ = true
С	present in unpolluted air	x	x	x = false
D	produced during respiration	×	\checkmark	

0620/11/O/N/19



- 33 What is not a use of sulfur dioxide?
 - A as a bleach
 - B as a food preservative
 - **C** in the manufacture of wood pulp for paper
 - D treating acidic soils
- 34 Which process is used to obtain lime from limestone?
 - A cracking
 - B fractional distillation
 - **C** neutralisation
 - **D** thermal decomposition
- 35 Petroleum is separated by fractional distillation.

Which statement about the fractions produced is correct?

- A Bottled gas for heating and cooking is obtained from the naphtha fraction.
- **B** Diesel oil is used as a fuel for jet aircraft.
- **C** Substances used to make polishes are obtained from the lubricating fraction.
- **D** The kerosene fraction contains many useful waxes.
- 36 Which compounds have similar chemical properties?
 - A butanol and butanoic acid
 - **B** ethane and ethene
 - C methane and butane
 - **D** propene and propanol
- 37 Which statement about a molecule of ethane is correct?
 - A An ethane molecule has at least one double covalent bond.
 - **B** It has C–H and C–O bonds.
 - **C** An ethane molecule has seven covalent bonds.
 - **D** Its bonds are formed by the transfer of electrons.




0620/11/O/N/19



	alkene	hydrogen	water
Α	\checkmark	1	1
в	\checkmark	\checkmark	X
С	\checkmark	x	1
D	x	\checkmark	\checkmark

38 Which products are obtained by the cracking of an alkane?

- 39 Which statements about aqueous ethanoic acid are correct?
 - 1 It has a pH value of 10.
 - 2 It reacts with metal carbonates to produce carbon dioxide gas.
 - 3 It reacts with magnesium metal to produce hydrogen gas.
 - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- 40 The diagram shows the structure of a monomer and of the polymer made from it.



What are the monomer and polymer?

	monomer	polymer
Α	ethane	poly(ethane)
в	ethane	poly(ethene)
С	ethene	poly(ethane)
D	ethene	poly(ethene)



BLANK PAGE



BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2019

0620/11/O/N/19



of Elements	
ic Table d	
he Period	
F	

	<pre>NII</pre>	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Ϋ́	krypton 84	54	Xe	xenon 131	86	Rn	radon -			
	١١٨			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 80	53	I	iodine 127	92	At	astatine -			
	٨I			8	0	oxygen 16	16	ა	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ро	polonium –	116	L۷	livermorium -
	>			7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209			
	2			9	U	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	РЬ	lead 207	114	Fl	flerovium -
	≡			5	В	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	Tl	thallium 204			
										30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	C	copernicium -
										29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -
dn										28	ïZ	nickel 59	46	РЧ	palladium 106	78	Ъ	platinum 195	110	Ds	darmstadtium -
Group										27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -
		- H	hydrogen 1							26	Е	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	Ц	technetium -	75	Re	rhenium 186	107	Bh	bohrium I
					pol	ISS				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	8	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Db	dubnium –
					ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	Ŗ	rutherfordium -
										21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ي ا	strontium 88	56	Ba	barium 137	88	Ra	radium I
	_			ę	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ļ	francium -
				L			L			L			L								

	57	58		60	61	62	63	64	65	99	67	68	69	70	71
lanthanoids	La	Ce	Pr	Νd	Pm	Sm	Eu	Gd	Tb	D	Ч	ц	Tm	۲b	Lu
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	Iutetium 175
	89	06		92	93	94	95	96	97	98	66	100	101	102	103
actinoids	Ac	Th			Np	Pu	Am	Cm	Ŗ	ç	Еs	Еm	Md	No	L
	actinium	thorium		uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
	I	232		238	I	I	I	I	I	I	I	I	I	I	I

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

0620/11/O/N/19

