

**MARK SCHEME for the May/June 2013 series**

**0607 CAMBRIDGE INTERNATIONAL MATHEMATICS**

**0607/43**

Paper 4 (Extended), maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.


Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus
	IGCSE – May/June 2013	0607

1 (a)	8	3	M1 for $\frac{k}{\sqrt{x}}$ A1 for $k = 32$
(b)	0.25 o.e.	2	B1FT for $\sqrt{x} = \frac{\text{their } 32}{64}$
(c)	$\frac{1024}{y^2}$ or $\left(\frac{32}{y}\right)^2$	3FT	FT $k$ or incorrect $k$ only ( $k \neq 1$ ) for answer but the Ms still available M1 for multiplication by $\sqrt{x}$ o.e. M1 for division by o.e. M1 for squaring
2 (a)	250	3	B2 for $4x = 10^3$ or $\log x = 2.3979...$ B1 for $\log\left(\frac{36x}{9}\right)$ o.e. or 1.5563... $-0.9542... + \log x = 3$ o.e.
(b)	Attempt to get 2 equations for elimination Correct addition/subtraction of their equations $x = -2$ $y = -4$  Equation $x =$ or $y =$ from one equation Correct substitution into other equation $x = -2$ $y = -4$  Sketch of both lines $x = -2$ $y = -4$	M1 M1 B1 B1  or  [M1 M1 B1 B1]  or  [M2 B1 B1]	Allow one numerical error in one of these two lines.     Allow one numerical error in one of these two lines.    Answers without any working must be both correct and score B2 only.
3 (a)	$A \cap B \cap C$ o.e.	1	
(b)	$A \cap C \cap B'$ o.e.	1	
(c)	$(A \cup B)' \cap C$ o.e. e.g. $A' \cap B' \cap C$	1	
(d)	$(B \cap C \cap A') \cup (A \cap (B \cup C)')$ o.e.	2	B1 for either bracket correct
4 (a)	$\frac{4.5}{7} = \frac{x}{(x+8)}$ o.e. $4.5(x+8) = 7x$ o.e. $2.5x = 36$ $[x = 14.4]$ (Answer Given)	M1  E1	Must see a correct middle line


Page 3	Mark Scheme	Syllabus
	IGCSE – May/June 2013	0607

(b)	211 or 210.6 to 211.1    www 3	3	<b>M1</b> for $\frac{1}{3}\pi \times 3.5^2 \times 22.4$ (287 or 287.4) <b>M1</b> for $\frac{1}{3}\pi \times 2.25^2 \times 14.4$ (76.4 or 76.3 to 76.35...) <b>(M2</b> for 67.16 $\pi$ to 67.17 $\pi$ or $\frac{403}{6}\pi$ or $67\frac{1}{6}\pi$ )
5 (a)	$[y] = 10x^2 + x - 5 [= 0]$ o.e.  Correct graph sketched or $\frac{-1 \pm \sqrt{(1)^2 - 4(10)(-5)}}{2(10)}$ - 0.76, 0.66	<b>B1</b>  <b>B1</b>  <b>B1,B1</b>  <b>2FT</b>	<b>B2</b> for sketch of $10x^2$ and $5 - x$ together or $\pm \sqrt{\frac{201}{400}} - \frac{1}{20}$ from completing the square  If <b>B0, SC1</b> for - 0.759 or - 0.7589 to - 0.7588 <b>and</b> 0.659 or 0.6588 to 0.6589 <b>B1FT</b> for each part, if two solutions to part (b)
6 (a)	(-6, -2)	1	
(b)	(2, 6)	1	
(c)	Reflection $y = -x$	1, 1	
7 (a)		4	<b>B1</b> Correct graph for $x > 2$ <b>B1</b> Correct graph for $x < -2$ <b>B1</b> Correct graph for $-2 < x < 2$ <b>B1</b> Approx correct intercepts <b>pen - 1</b> if branches joined.
(b)	$x = -2, x = 2, y = 0$	1, 1, 1	
(c)	-2.33 (-2.330...), 0.202 (0.2016...), 2.13 (2.128...)	1, 1, 1	
8 (a)	75.5 (75.52....)	3	<b>M2</b> for $[\cos =] \frac{7^2 + 6^2 - 8^2}{2 \cdot 6 \cdot 7}$ (0.25) or <b>M1</b> for $8^2 = 7^2 + 6^2 - 2 \times 6 \times 7 \times \cos x$
(b)	20.33	3	<b>M1</b> for $0.5 \times 6 \times 7 \times \sin(\text{their } 75.5)$ <b>A1</b> 20.3 or 20.33....
(c)	6.78 or 6.776 to 6.778	2	<b>M1</b> for $\sin(\text{their } 75.5) = \frac{h}{7}$ or $0.5 \times 6 \times h = \text{their } 20.33$ o.e.

Page 4	Mark Scheme	Syllabus
	IGCSE – May/June 2013	0607

9 (a) (i)	$\frac{5}{40}$ o.e.	1	For all parts accept decimals and percentages with the usual rules 3sf
(ii)	$\frac{27}{40}$ o.e.	1	Do not penalise incorrect cancelling or converting
(b)	$\frac{3}{21}$ o.e.	2	Do not accept ratios or words B1 for $\frac{k}{21}$
(c)	$\frac{120}{5814}$ o.e. (0.0206 or 0.02063 to 0.02064) ( $\frac{20}{969}$ )	3	M2 for $\frac{6}{19} \times \frac{5}{18} \times \frac{4}{17}$ or B1 for $\frac{5}{18}$ seen
10 (a) (i)	2.51 (or 2.513 to 2.514) www 2	2	M1 for $\pi \times 1.2^2$ or $\pi \times 0.8^2$ 4.523 to 4.524... or 2.010 to 2.011
(ii)	0.502 or 0.503 (or 0.5026 – 0.5028)	2FT	M1 for (their 2.51) $\times$ figs 2
(b) (i)	3020 (or 3020 to 3021)	2	M1 for $\frac{4}{3}\pi \times 16^3$ (17150 to 17160 or 17200) or $\frac{4}{3}\pi \times 15^3$ (14130 to 14140 or 14100) SC1 for 24100 to 24200
(ii)	166 cao www 3	3	M2 for $\frac{\text{their (a)(ii)} \times 1000\,000}{\text{their (b)(i)}}$ or M1 for their (a)(ii) $\times$ 1 000 000 or 1 000 000 $\div$ their (b)(i)
11 (a)	$\frac{720}{x} - \frac{720}{(x+10)} = 1$  $720(x+10) - 720x = x(x+10)$  $7200 = x^2 + 10x$  $x^2 + 210x - 7200 = 0$	2  M1  E1	B1 for 720/x B1 for 720/(x+10)  Correct multiplication for equation in correct form i.e. the three terms in first line (can be all over $x(x+10)$ ) Must see a correct third line and no errors or omissions  No omissions or errors
(b) (i)	$(x+90)(x-80)$	2	SC1 for $(x+a)(x+b)$ if $ab = -7200$ or $a+b = 10$
(ii)	80, -90	1 FT	FT their (b)(ii) only if SC1
(iii)	9	1FT	FT from (b)(ii), but must only be one positive root

Page 5	Mark Scheme	Syllabus
	IGCSE – May/June 2013	0607

12 (a) (i)		2	<b>B1</b> for rectangular hyperbola in two quadrants <b>B1</b> for approx. correct asymptotes.
(ii)	$(-\frac{5}{4}, 0)$ o.e. $(0, \frac{5}{3})$ o.e.	1 1	
(iii)	1.71 or 1.714... o.e.	1	
(b)	$x > -\frac{3}{2}$ $x < -\frac{7}{4}$	2 2	<b>B1</b> for sight of $-\frac{3}{2}$ (may be shown on graph) <b>B1</b> for sight of $-\frac{7}{4}$ (may be shown on graph)
(c)	$\frac{1}{2} \left( \frac{1}{2-x} - 3 \right)$ o.e. e.g. $\frac{3x-5}{4-2x}$	4	<b>M1</b> Swap $x$ and $y$ <b>M1</b> Correct re-arrangement or single fraction with denom. $2x+3$ or $2y+3$ <b>M1</b> Multiply by $(2x+3)$ or $(2y+3)$ <b>M1</b> correct division by 2
(d)	$\frac{9}{5}$ o.e. cao	2	<b>M1</b> for <i>their</i> (c) = 1 or $x = f(1)$
13 (a)	38 www	3	<b>B2</b> for 38.475 or 38.48 or 38.47 or 38.5 or $7695 \div 200$ or <b>M1</b> for correct use of mid-pts at least 4 of (10, 25, 35, 42.5, 47.5, 65)
(b) (i)	0.6, 3.4, 4, 12, 8.4, 0.4	2	<b>B1</b> for 4 correct
(ii)	Suitable scale Correct column widths Correct heights	1 1 2 FT	<b>B1</b> for 4 correct FT

Page 6	Mark Scheme	Syllabus
	IGCSE – May/June 2013	0607

<b>14 (a) (i)</b>	Points correctly plotted	<b>3</b>	<b>B2</b> for 5 correct points or <b>B1</b> for 3 or 4 correct points
<b>(ii)</b>	Positive	<b>1</b>	
<b>(b) (i)</b>	22.3	<b>1</b>	
<b>(ii)</b>	436	<b>1</b>	
<b>(c) (i)</b>	$19.8x - 4.78$	<b>2</b>	<b>B1</b> for $kx - 4.78$ or <b>B1</b> for $19.8x + k$ <b>SC1</b> for $20x - 4.8$ (19.76 to 19.77, -4.778 to -4.777)
<b>(ii)</b>	410 or 411 or 410.1 to 411.0....	<b>1FT</b>	
<b>(iii)</b>	628 or 629 or 627.5 to 628.8.....	<b>1FT</b>	
<b>(iv)</b>	<b>(c)(ii)</b> <b>AND</b> this is within the data range o.e.	<b>2</b>	<b>E1</b> for reasonable statement
<b>15 (a)</b>	1458 $2 \times 3^n$ o.e.	<b>1</b> <b>2</b>	<b>B1</b> for $k \times 3^n$ or $k \times 2^{n-1}$
<b>(b)</b>	29 $n^2 - n - 1$ o.e.	<b>1</b> <b>3</b>	<b>M2</b> for $an^2 + bn + c$ with $a \neq 0$ and both $b$ and $c$ not 0. or <b>M1</b> for differences of 2 seen or $an^2$