



CANDIDATE NAME

CENTRE NUMBER

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

		1			
			CANDIDATE		
			NUMBER		

## **CAMBRIDGE INTERNATIONAL MATHEMATICS**

0607/12

Paper 1 (Core) May/June 2013

45 minutes

Candidates answer on the Question Paper

Additional Materials: Geometrical Instruments

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

#### CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets [ ] at the end of each question or part question.

The total number of marks for this paper is 40.

This document consists of 12 printed pages.



[Turn over

### Formula List

Area, $A$ , of triangle, base $b$ , height $h$ .	$A = \frac{1}{2}bh$
Area, $A$ , of triangle, base $b$ , height $h$ .	$A = \frac{1}{2}bh$

Area, A, of circle, radius r. 
$$A = \pi r^2$$

Circumference, C, of circle, radius r. 
$$C = 2\pi r$$

Curved surface area, A, of cylinder of radius r, height h. 
$$A = 2\pi rh$$

Curved surface area, A, of cone of radius r, sloping edge l. 
$$A = \pi r l$$

Curved surface area, A, of sphere of radius r. 
$$A = 4\pi r^2$$

Volume, 
$$V$$
, of prism, cross-sectional area  $A$ , length  $l$ .  $V = Al$ 

Volume, 
$$V$$
, of pyramid, base area  $A$ , height  $h$ . 
$$V = \frac{1}{3}Ah$$

Volume, V, of cylinder of radius r, height h. 
$$V = \pi r^2 h$$


Volume, 
$$V$$
, of cone of radius  $r$ , height  $h$ . 
$$V = \frac{1}{3}\pi r^2 h$$

Volume, 
$$V$$
, of sphere of radius  $r$ . 
$$V = \frac{4}{3}\pi r^3$$

© UCLES 2012

www.PapaCambridge.com

						Š	5					OD,
1	Write 53	392 correct to									Ì	apaca
	(a) the	e nearest 100,										
						Ans	wer (a)					[1
	<b>(b)</b> the	e nearest 10.										
						Ans	wer (b)					[1
2	Here is	a list of number	rs.									
			4	5	11	20	27	39	43			
	Use the	list to write dov	wn									
	<b>(a)</b> a	square number	,									
						Ans	wer (a)					[1
	<b>(b)</b> a	factor of 20,										
						Ans	wer (b)					[1
	( <b>c</b> ) a	multiple of 5,										·····
		r				Ans	swer (c)					[1
	(d) o	nrima numbar				21710	wer (e)	••••••		•••••		L*
	<b>(d)</b> a	prime number.				,	<b>(1)</b>					F.4
						Ans	wer (d)	••••••		••••••		[1
3												



Write down the order of rotational symmetry of this regular hexagon.

Answer	[1]

TH

© UCLES 2012 [Turn over

Work out  $6-2 \times 2$ .

	nn
4	WWW. Papaca For
	For iner's
Answer (a)	[1] \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\


**(b)** Work out  $\frac{1}{4}$  of 128.

Find the value of  $2^{-3}$ .

5 Write down in order of size, starting with the smallest.

$$\frac{1}{3}$$
  $\frac{1}{5}$  0.3 25%

6 (a)




Reflect triangle *A* in the *y*-axis.

[1]

www.PapaCambridge.com

**(b)** 



Rotate shape B through  $90^{\circ}$  clockwise about the origin.

[2]


Mark a point C so that angle  $ABC = 124^{\circ}$ .

For iner's

A B

[1]

**(b)** 



The bearing of Q from P is  $072^{\circ}$ .

Find the bearing of P from Q.

Answer (b) [2]

8 Elaine, Mark and Timi each spin the same spinner a number of times.

They record how many times it lands on the number 4.

	Number of spins Number of times the spinner land				
Elaine	10	2			
Mark	100	26			
Timi	200	49			

Who will give th	e best estimate	of the probability	y that the spinne	r lands on th	e number 4?
Explain your ans	wer.				

 because	
 	 [2]

Annous Ballacan For iner's

9 (a) The cost, in \$, of hiring a machine is worked out using the formula

$$cost = 50 + 25 \times number of days hired.$$

Work out the cost of hiring the machine for

(i) 2 days,

Answer (a)(i)	•	Г1
Answer (a)(1)	<b>D</b>	1

(ii) 1 week.

**(b)** Simplify.

$$5x + 4y + 2x - y$$

(c) Solve the following equation.

$$3x + 5 = 23$$

$$Answer(c) x =$$
 [2]

(d) Solve the following inequality.

$$4x - 3 \le 7$$

(e) Solve the simultaneous equations.

$$3x + y = 19$$

$$x + y = -5$$


Answer (e) 
$$x =$$

$$y =$$
 [2]

© UCLES 2012 [Turn over

www.PapaCambridge.com

10



A badge is in the shape of a square with four congruent triangles attached.

The square has side 3 cm.


The triangles each have a perpendicular height of 2 cm.

Work out the area of the badge.

Answer	$cm^2$	[3]

11 The cumulative frequency curve shows the time, in minutes, spent by 50 customers at a supermarket checkout.

t a For iner's



- (a) Use the graph to find
  - (i) the median time,

Answer (a)(i) \_\_\_\_\_ min [1]

(ii) the interquartile range.

Answer (a)(ii) min [2]


**(b)** How many customers spent less than 10 minutes at the checkout?

Answer (b) [1]

Question 12 is printed on the next page.

© UCLES 2012 [Turn over

Triangles ABE and ACD are similar. AE = 4 cm, EB = 6 cm and DC = 9 cm.



Work out the length of *ED*.

Answer cm [3]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

www.PapaCambridge.com