



CANDIDATE NAME

CENTRE NUMBER

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| | CANDIDATE NUMBER | | |
|--|---------------------|--|--|

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/23

Paper 2 (Extended)

May/June 2013

45 minutes

Candidates answer on the Question Paper.

Additional Materials:

Geometrical Instruments

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO **NOT** WRITE IN ANY BARCODES.

Answer all the questions.

CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 40.





Formula List

For the equation

$$ax^2 + bx + c = 0$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Curved surface area, A, of cylinder of radius r, height h.

Curved surface area, A, of cone of radius r, sloping edge l.


Volume, V, of pyramid, base area A, height h.

Curved surface area, A, of sphere of radius r.

Volume, V, of cylinder of radius r, height h.

Volume, V, of cone of radius r, height h.

Volume, V, of sphere of radius r.



$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$A=2\pi rh$$

$$A = \pi r l$$

$$A=4\pi r^2$$

$$V = \frac{1}{3}Ah$$

$$V = \pi r^2 h$$

$$V = \frac{1}{3}\pi r^2 h$$

$$V = \frac{4}{3} \pi r^3$$

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area =
$$\frac{1}{2}bc \sin A$$

Answer all the questions.

1 Work out $(1.6 \times 10^3) \div (4 \times 10^5)$. Give your answer in standard form.

| The state of | | |
|--------------|-------|---------------|
| 2.0 | | |
| | aCan. | For iner's |
| | 1 | Aids . |
| | | Se. CO. |
| | | 1 |

Answer [2]

2 Solve the equations.

(a)
$$2-3(1-2x)=4(2-x)$$

$$Answer(a) x =$$
 [3]

(b)
$$\sin x = \pm \frac{\sqrt{3}}{2}$$
 for $0^{\circ} \le x \le 360^{\circ}$

$$Answer(b) x =$$
 [3]

© UCLES 2013 [Turn over

- Find the value of the following. 3
 - (a) 4^0

For iner's Answer(a)

(b) $27^{-\frac{2}{3}}$

Answer(b) [2]


(a) Simplify. $\sqrt{200} - \sqrt{98}$

> Answer(a) [2]


(b) Rationalise the denominator.

$$\frac{11}{5 - \sqrt{3}}$$


Answer(b) [3]



(a) On the diagram below, sketch the graph of y = |f(x)|.



(b) On the diagram below, sketch the graph of y = f(x - 1).



© UCLES 2013 [Turn over

MANAN. P. ABBAC CAMBRIDGE COM

[3]

[2]


6 Make *x* the subject of the equation.

$$\frac{a}{x+3} = \frac{b}{x}$$

HANNA BORD FOR iner's

Answer
$$x =$$
 [3]

7



B, C, D and E lie on a circle, centre O. CE is a diameter, angle $DAC = 30^{\circ}$ and angle $BOE = 70^{\circ}$.


Find the values of x, y and z.

$$Answer x =$$

$$z =$$
 [3]

For iner's

8 The points A(1, 9) and B(7, 1) are shown on the diagram below.



(a) Calculate the length AB.

(b) (i) Find the co-ordinates of the midpoint of the line AB.

(ii) Find the equation of the perpendicular bisector of the line AB.

Answer(b)(ii) [3]

www.PapaCambridge.com Wendy walks 9 km in $1\frac{1}{2}$ hours. She then runs 9 km in 45 minutes.

Find her average speed in km/h for the whole journey.

| Answer | km/h | [3] |
|--------|------|-----|
|--------|------|-----|

10 Paulo goes to a supermarket.

9

The probability that he buys orange juice is 0.65.

The probability that he does not buy milk is 0.30.

The probability that he buys milk but does not buy orange juice is 0.15.

(a) Complete the table of probabilities.

| | Buys milk | Does not buy milk | Total |
|---------------------------|-----------|-------------------|-------|
| Buys orange juice | | | 0.65 |
| Does not buy orange juice | 0.15 | | |
| Total | | 0.30 | 1.00 |

[2]

(b) Find the probability that Paulo buys either orange juice or milk but not both.

| Answer(b) | [2] |
|-----------|---------|
| , , | |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.