

Additional Materials: Graphics Calculator

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer both parts A and B.

You must show all relevant working to gain full marks for correct methods, including sketches.

In this paper you will also be assessed on your ability to provide full reasons and communicate your mathematics clearly and precisely.

At the end of the examination, fasten all your work securely together. The total number of marks for this paper is 40.

This document consists of 11 printed pages and 1 blank page.



[Turn over

#### Answer **both** parts **A** and **B**.

### A INVESTIGATION SUMS OF SEQUENCES (20 marks)

You are advised to spend no more than 45 minutes on this part.

Here is the method to construct a sequence for this investigation.

Method	Example
Write down any two numbers for the first two terms.	3 and 7
Add these two terms to make the third term.	3 + 7 = 10
Add the second and third terms to make the fourth term.	7 + 10 = 17
Add the third and fourth terms to make the fifth term.	10 + 17 = 27
Continue in this way to construct the sequence.	

This example makes the sequence: 3, 7, 10, 17, 27, 44,

1 Show that the sum of the first six terms in this sequence, divided by the fifth term, is 4.

### PA CAMBRIDGE

www.papaCambridge.com



.....

© UCLES 2013

[Turn over



- WorkingTermppqqqqp + qp + qq + p + qp + 2qp + q + p + 2q2p + 3q
- 3 The first two terms of a new sequence are p and q. The table shows the working for the first five terms.

- (a) Complete the table.
- (b) Find an expression for the sum of these first six terms. Simplify your answer.

(c) Find an equation to connect the fifth term and the sum of the first six terms.

.....

.....

## **PA CAMBRIDGE**

www.papaCambridge.com

		422	
		5	
4	(a)	Find the next four terms in the sequence in <b>question 3</b> .	For iner's
		7 <sup>th</sup> term	Tida
		8 <sup>th</sup> term	C.Com
		9 <sup>th</sup> term	
		10 <sup>th</sup> term	
	(b)	Find an expression for the sum of the first ten terms in this sequence. Simplify your answer.	
	(c)	Find an equation to connect the seventh term and the sum of the first ten terms.	

[Turn over



				472	
		6		2. D2	
5	5 (a) Find the next four terms in the sequence in question 4.				For
		11 <sup>th</sup>	term		hide
		12 <sup>th</sup>	term		Se.con
		13 <sup>th</sup>	term		N.
		14 <sup>th</sup>	term		
	(b)	Find an expression for the sum of the first fourteen terms Simplify your answer.	5.		
	(c)	This sum is a multiple of one of the terms in <b>question 4(</b> Find this multiple.	<b>(a)</b> .		
	(d)	Prove this connection			
	(u)	Trove uns connection.			

	434	
	7	
6	In <b>question 2</b> the connection between the sum of the six terms and the fifth term is	
	sum of the first 6 terms = $4$ times 5th term	
	Complete the following statements.	
	sum of the first 10 terms =	
	sum of the first 14 terms =	
	sum of the first 18 terms =	1

[Turn over

#### 8

#### **B** MODELLING THE EARTH'S TEMPERATURE (20 marks)

You are advised to spend no more than 45 minutes on this part.

#### Logarithms to base 10 are written as log.

Scientists have been measuring the temperature of the earth since 1860.

The table shows the increase in Earth's temperature since 1860. The increases are averages for each decade (10 years) correct to 2 decimal places.

Final year of each decade	Number of years since 1860 (N)	Temperature increase since 1860 in °C $(T)$
1890	30	0.02
1900	40	0.03
1910	50	0.04
1920	60	0.06
1930	70	0.08
1940	80	0.10
1950	90	0.13
1960	100	0.18
1970	110	0.24
1980	120	0.32

1 (a) On the grid, plot the temperature increase (T) against the number of years since 1860 (N), for  $30 \le N \le 120$ .

Draw a smooth curve that shows the increase in temperature.



#### © UCLES 2013

### PA CAMBRIDGE

www.papacambridge.com



[Turn over

(a) (i) Complete the table to give the value of  $\log T$  for each value of N. 2 Give each answer correct to 2 decimal places.

(i) Complete th Give each a	the table to give the value of nswer correct to 2 decimal	<b>10</b> Flog <i>T</i> for each value of <i>N</i> . places.	WWW. Pak
Final year of each decade	Number of years since 1860 (N)	Temperature increase since $1860$ in °C ( <i>T</i> )	log T
1890	30	0.02	-1.70
1900	40	0.03	
1910	50	0.04	
1920	60	0.06	-1.22
1930	70	0.08	
1940	80	0.10	
1950	90	0.13	-0.89
1960	100	0.18	
1970	110	0.24	-0.62
1980	120	0.32	-0.49

(ii) On the grid plot log T against N, for  $30 \le N \le 120$ .



© UCLES 2013

	422	
	11 2.02	
(iii)	The mean point is $(75, -1.07)$ . On the grid, draw the line of best fit.	For viner's
(iv)	Use your line of best fit to predict the temperature increase by 2020 (160 years since 1860).	age.
(b) (i)	A model for the line of best fit is $\log T = mN + c$ .	Sonn
(~) (1)	Find the values of $m$ and $c$ .	
	Give your answers correct to 2 significant figures.	
	m = $c =$	
(ii)	Use this model to predict the temperature increase by 2020.	
(iii)	Comment on your two predictions for the temperature increase by 2020.	

© UCLES 2013



**BLANK PAGE** 

12

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.