

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

[www.PapaCambridge.com](http://www.PapaCambridge.com)

## **MARK SCHEME for the October/November 2014 series**

### **0581 MATHEMATICS**

**0581/22**

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



 CAMBRIDGE



**IPA CAMBRIDGE**

Page 2	Mark Scheme	Syllabus Paper
	Cambridge IGCSE – October/November 2014	058

**Abbreviations**

- cao correct answer only
- dep dependent
- FT follow through after error
- isw ignore subsequent working
- oe or equivalent
- SC Special Case
- nfwf not from wrong working
- soi seen or implied

Qu.	Answers	Mark	Part Marks
1	$6 + 5 \times (10 - 8) = 16$	1	One pair of brackets only
2	20	1	
3	8	1	
4	<p><math>\xi</math> </p> <p><math>\xi</math> </p>	1 1	
5	$v^3 - p$	2	<b>M1</b> for $v^3 = p + r$
6	95.5 96.5 in correct places cao	2	<b>B1</b> for 95.5 or 96.5 in correct place or for answers reversed
7 (a)	700	2	<b>M1</b> for $2800 \times 0.325$
(b)	0.28	1	
8	<p><math>\frac{7}{6}</math> oe</p> <p>their <math>\frac{7}{6} \times \frac{8}{7}</math> oe</p> <p><math>\frac{4}{3}</math> or <math>1\frac{1}{3}</math> cao</p> <p>must see working</p>	<b>B1</b> <b>M1</b> <b>A1</b>	Or <b>M1</b> for $\frac{56}{48} \div \frac{42}{48}$ or equivalent division with fractions with common denominator

9	9.13 or 9.127 to 9.1271	3	<p>M2 for <math>\sqrt[3]{\frac{1000}{440}}</math> [1.31] oe</p> <p>or <math>\sqrt[3]{\frac{440}{1000}}</math> [0.761] oe</p> <p>Or M1 for <math>\frac{1000}{440}</math> [2.27] oe</p> <p>or <math>\frac{440}{1000}</math> [0.44] oe</p> <p>or <math>\sqrt[3]{\frac{\text{figs } 440}{\text{figs } 1000}}</math> or <math>\sqrt[3]{\frac{\text{figs } 1000}{\text{figs } 440}}</math></p>
10	97.2[0]	3	<p>M1 for <math>C = kr^2</math></p> <p>A1 for <math>k = 30</math></p> <p>or M2 for <math>\frac{202.8}{2.6^2} = \frac{c}{1.8^2}</math> oe</p>
11 (a)	$\begin{pmatrix} 6 & -4 \\ -8 & 38 \end{pmatrix}$	2	<p>M1 for a 2 by 2 matrix with two correct elements</p> <p>SC1 for <math>\begin{pmatrix} 16 &amp; -14 \\ -18 &amp; 28 \end{pmatrix}</math></p>
(b)	14	1	
12		3	<p></p> <p>SC1 for</p>
13	13.5 or 13.45[.]	3	<p>M2 for <math>\sqrt{\frac{2 \times 85}{\sin 110}}</math></p> <p>or M1 for <math>\frac{1}{2} \times a^2 \times \sin 110 = 85</math></p> <p>or <math>\frac{2 \times 85}{\sin 110}</math> oe [180.9..]</p>
14 (a)	2.47 or 2.474 to 2.4744	2	M1 for $\frac{56}{360} \times \pi \times 2.25^2$ oe
(b)	0.742 or 0.7422 to 0.74232	1FT	FT their (a) $\times 0.3$ [0] correctly evaluated.

15	(a)	$2 \times 3 \times 3 \times 5$	2	<b>B1</b> for 2, 3, [3] and 5 identified as prime factors  or <b>M1</b> for partial prime factorisation $6 \times 3 \times 5$ or $2 \times 9 \times 5$ or $3 \times 3 \times 10$ or $2 \times 3 \times 15$
	(b)	630	2	<b>M1</b> for $2 \times 3^2 \times 5 \times 7$ oe or for listing multiples of 90 and 105 at least up to 630
16	(a)	108  Angle at <b>centre</b> is <b>twice</b> angle at <b>circumference</b> oe	1  1	
	(b) (i)	$-\frac{4}{3}$ oe	1	
	(b) (ii)	-1	1	
17	[0.]08	4	<b>M3</b> for $200 \times \left(1 + \frac{2}{100}\right)^2 - 200 - \frac{200 \times 2 \times 2}{100}$ oe or <b>M1</b> for $200 \times \left(1 + \frac{2}{100}\right)^2$ <b>and M1</b> for $\frac{200 \times 2 \times 2}{100}$ [+200]	
18	(a)	56	2	<b>B1</b> for 16 soi or <b>M1</b> for 72 – <i>their</i> 16
	(b) (i)	63 or 63 to 63.5	1	
	(b) (ii)	22 or 21.6 to 23      nfw	2	<b>B1</b> for 49.8 to 50.2 seen or 71.8 to 72.8
19	(a) (i)	$c - a$	1	
	(a) (ii)	$-\frac{1}{3} a + \frac{1}{3} c$	3	<b>M2</b> for $-a + \frac{1}{3} (c + 2a)$ oe  e.g. $-a + c + 2a - \frac{2}{3} (c + 2a)$ Or <b>M1</b> for a correct route from A to X
	(b)	$\overrightarrow{AC}$ is a multiple of $\overrightarrow{AX}$ <b>and</b> they share a common point [A]	1  1	oe  oe

20	(a)	102 to 106	2	<b>B1</b> for 5.1 to 5.3 seen
	(b)	Correct position of F with correct arcs for angle bisector	5	<b>B2</b> for Correct ruled angle bisector of $A$ and correct arcs or <b>B1</b> for correct bisector with no/wrong arcs <b>and</b> <b>B2</b> for Arc centre $C$ , radius 8 cm or <b>B1</b> for arc centre $C$ with incorrect radius or correct conversion to 8cm <b>and</b> <b>B1</b> for marking position of F on <i>their</i> bisector and 8cm from $C$ or on <i>their</i> arc centre $C$
21	(a)	$\frac{x+7}{(2x-1)(x+2)}$ Final answer	3	<b>B1</b> for $3(x+2) - 1(2x-1)$ seen or better  <b>B1</b> for denominator $(2x-1)(x+2)$ oe seen <b>SC2</b> for final answer $\frac{x+5}{(2x-1)(x+2)}$
	(b)	$\frac{2x}{x+7}$ Final answer	4	<b>M1</b> for $4x(x-4)$ or partial factorisation of numerator  and <b>M2</b> for $[2](x+7)(x-4)$ oe  or <b>M1</b> for $[2](x^2 + 3x - 28)$ or $[2](x+a)(x+b)$ where $ab = -28$ or $a + b = 3$  <b>SC3</b> for answer $\frac{4x}{2x+14}$ oe