WWW. Pales

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

0625 PHYSICS

0625/53

Paper 5 (Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

	Page 2		Mark Scheme: Teachers' version Syllab	ous r
			IGCSE – October/November 2011 062	5 100
1	(a)	V cor	and <i>d</i> present AND in cm, to nearest mm rrect rrect and 1.5 – 3.5 (g/cm³) ignore significant figures	Sus A. Pallar Calmbridge
	(b)	$V_2 > V_3$ V_s and ρ to 2	and V_1 recorded V_1 and ρ correct V_1 correct V_2 or 3 significant figures and unit V_2 same as above to V_3 1.5 g/cm V_4	[1] [1] [1] [1] [1]
	(c)	smalle volum air bu	rom: ulty of making perfect cuboid shape o.w.t.t.e. ler mass so greater inaccuracy me of thread not taken into account ubbles in clay/uneven density distribution/clay may absorb r/some clay may stick to the knife	[2] [Total: 10]
2	(a)	(a) θ_c and θ_h sensible values θ_m between θ_c and θ_h temperatures in °C (at least once, not contradicted)		[1] [1] [1]
	(b)	correct <i>E</i> values <i>E</i> values in J and consistent 2, 3 or 4 significant figures		[1] [1]
	(c)		statement matches readings ustified by reference to readings	[1] [1]
		(ii) a	any sensible reference to heat loss to surroundings/heat gained b	y container [1]
	(d)	(-1 fo	in boxes 3, 4 & 5 or any extra ticks in boxes 1, 2 or 6 to a minimum of 0 y two boxes ticked, 1 correct and 1 incorrect scores 1 mark)	[2]
				[Total: 10]

			IGCSE – October/November 2011	0625		
3	(a)	all V to a all I to at correct F	Ω (words or symbols) at least 1 d.p. It least 2 d.p. R values ent 2 or 3 significant figures for R		Cambridge [1]	
	(b)	numerica	tly) proportional to l o.w.t.t.e. allow ecfular example given (allow two ratios) within limits of experimental accuracy		[1] [1] [1]	
	(c)	predictio working	ethod (could be rounded)	[1] [1]		
	JT.					
4	(a)	1/ <i>u</i> and	s all to nearest mm 1/v values correct ent 3 or 4 significant figures for 1/u and 1/v		[1] [1] [1]	
	(b)	•	correct to nearest ½ small square ged best-fit line		[1] [1] [1]	
	(c)	-	ts correct to ½ small square ercepts 6.4–7.0		[1] [1]	
	(d)	how to a moveme mark len metre ru	from: arkened room avoid parallax when taking readings ent of lens back & forth to obtain clearest image as holder to show position of centre of lens alle clamped or on bench ject, screen perpendicular to bench		[1]	

Mark Scheme: Teachers' version

Page 3

Syllabus

[Total: 10]