UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

COMBINED SCIENCE

0653/02

Paper 2

May/June 2005

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a pencil for any diagrams, graphs, tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [] at the end of each question or part question. A copy of the Periodic Table is printed on page 20.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Exam	niner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 20 printed pages.

1 Fig. 1.1 shows a plant cell taken from the inside of a leaf.




Fig. 1.1

(a)	Giv	Give the letter of the part which matches each of these descriptions.				
	This	s controls what enters and leaves the cell.				
	This	This contains DNA.				
	This	s is where photosynthesis takes place.	[3]			
(b)	The	e leaf cell shown in Fig. 1.1 requires a steady supply of water.				
	(i)	Name the tissue in which water is transported from the roots to the leaves.				
			[1]			
	(ii)	Describe how water from the leaf cells moves out of the leaf and into the surrounding it.	air			
			••••			
			••••			
			[2]			

2 Fig. 2.1 shows a developing fetus in the uterus.




Fig. 2.1

(a)	Use Fig. 2.1, and your own knowledge, to help you to complete these sentences.	
	A developing fetus obtains its oxygen through the, from its mother'	s
	. It is supported by fluid. [3	3]
(b)	AIDS is caused by a virus. If a woman has AIDS, her baby may also develop th illness.	is
	(i) Explain why this may happen.	
	[1]
	(ii) Describe one way in which a woman can reduce the chance that she will get AIDS) .
	[1]
(c)	Explain why a pregnant woman should make sure that her diet contains plenty c calcium.	of
	T:	21

	The state of the s	
	4	1
The	e full chemical symbols of four elements are shown below.	Can
	¹ ₁ H ¹⁶ ₈ O ²⁴ ₁₂ Mg ⁴⁰ ₁₈ Ar	3
Use	e this information to answer (i) to (iv) below.	
(i)	Name the element which does not react with any of the others and explain yo answer.	ur
	name	
	explanation	
		[2]
(ii)	Name a pair of elements which combine together to form an <i>ionic</i> compound.	
	and	[1]
(iii)		
()		[1]
(iv)	State and explain which of the symbols above shows an atom which does no contain any neutrons.	ot
	symbol	
	explanation	
		[2]
Ма	gnesium reacts with dilute hydrochloric acid according to the equation below.	
	$Mg + 2HCl \longrightarrow MgCl_2 + H_2$	
Ехр	plain why this equation is said to be <i>balanced</i> .	
	(ii) (iii) (iv)	The full chemical symbols of four elements are shown below. 1 H 16 O 24 Mg 18 Ar Use this information to answer (i) to (iv) below. (i) Name the element which does not react with any of the others and explain your answer. name explanation (ii) Name a pair of elements which combine together to form an ionic compound. and (iii) Name two elements whose atoms have electrons in three energy levels (shells). and (iv) State and explain which of the symbols above shows an atom which does no contain any neutrons. symbol explanation Magnesium reacts with dilute hydrochloric acid according to the equation below.

- www.PapaCambridge.com (c) A student investigated factors affecting the rate of reaction between magnesia dilute hydrochloric acid. She wanted to investigate the effects of changing
 - the surface area of the magnesium
 - the temperature of the hydrochloric acid.

The apparatus she used is shown in Fig. 3.1.




Fig. 3.1

Results of three of her experiments are shown in Table 3.2

Table 3.2

experiment	mass of magnesium /g	volume of acid /cm³	volume of hydrogen gas collected in 2 minutes /cm³
1	2.0	20.0	45
2	2.0	20.0	15
3	2.0	20.0	70

(i)	State one other important factor (variable) that the student must keep the same each experiment.	in ;
		[1]
(ii)	In one of the experiments the student used both a large surface area magnesium and a high temperature of acid. Suggest and explain in which experiment, 1, 2 or 3, this was done.	of
		 [2]

.....cm/s [2]

4	(a)		elephant can communicate with other elephants using infra-sound. This is a quency vibration, which is usually impossible for a human to hear.
		trec	quency vibration, which is usually impossible for a human to hear.
		(i)	Suggest a possible frequency for this vibration.
			Hz [1]
		(ii)	Explain what is happening to the molecules when these vibrations travel through the air. You may use a diagram to help you to answer this question.
			[2]
	(b)	A s	pider climbs vertically upwards along a thread.
		(i)	It travels 21 cm in 7 seconds.
			Calculate the speed at which it travels.
			Show your working and state the formula that you use.
			formula used
			working

		The spider weighs 0.02N. Calculate the work done when it climbs 21 cm up the thread. Show your working and state the formula that you use. formula used	_ For
	(ii)	The spider weighs 0.02N.	Use
		Calculate the work done when it climbs 21 cm up the thread.	Bride
		Show your working and state the formula that you use.	86.CO
		formula used	13
		working	L
		joules [3]	
(c)	A p	olar bear is a large white furry mammal that lives on the Arctic ice.	
		ggest and explain one way in which the polar bear is adapted to reduce heat loss in cold climate.	
		[2]	

- 5 Sulphur dioxide is an unpleasant gas that is released into the air when coal is burnt.
 - (a) Breathing in harmful gases, such as sulphur dioxide or the gases in cigarette smok often stops the cilia lining a person's airways from working properly.

	May	
	8 dioxide is an unpleasant gas that is released into the air when coal is burnt.	Ex
phur	dioxide is an unpleasant gas that is released into the air when coal is burnt.	1
	eathing in harmful gases, such as sulphur dioxide or the gases in cigarette smoken stops the cilia lining a person's airways from working properly.	Abric
(i)	Explain how the cilia usually help to keep the lungs clean.	
	[2]	
(ii)	Using your answer to (i), explain how breathing in sulphur dioxide, or smoking cigarettes, can lead to bronchitis.	
	[2]	

(b) Fig. 5.1 shows the concentration of sulphur dioxide in the air of a large city, and also the number of people who died, from December 1st to December 15th in 1952.




Fig. 5.1

	9 How many more people died on December 8 th than on December 1 st ?	For
(i)	How many more people died on December 8 th than on December 1 st ?	Examine Use
(ii)	Explain how the information in the graph in Fig. 5.1 supports the idea that sulphur dioxide is harmful to health.	ridge C
	[1]	
(iii)	Suggest why the numbers of deaths were still high on December 15 th , even though the concentration of sulphur dioxide had returned to a low level.	
	[1]	

www.PapaCambridge.com Fig. 6.1 shows what is observed when a piece of potassium reacts in a container of 6 to form potassium chloride.




Fig. 6.1

(a)	(i)	Write the word equation for this reaction.	
	(ii)	Explain which observation in Fig. 6.1 shows that the reaction is <i>exothermic</i> .	[1]
			[2]
(b)	Pot	assium chloride can also be made by reacting an alkali with an acid.	
	(i)	Name the type of chemical reaction that occurs between an acid and an alkali.	
			[1]
	(ii)	Name the acid and the alkali that react to produce potassium chloride solution.	
		name of acid	
		name of alkali	[2]
	(iii)	Suggest how the solution of potassium chloride could be tested to make sure the does not contain excess acid or alkali.	
			[2]

	For
Е	xaminer's
	1100

(iv)	Describe briefly how a sample of dry potassium chloride crystals could be on in a short time from potassium chloride solution.	Cannon Use
		[2]

(a) Fig. 7.1 shows a toy bird, made from wood and suspended from a ceiling by a sp



Fig. 7.1

(i)	The direction of the upward force of the spring has been labelled A . Draw another arrow on the diagram to show the direction of the other force acting on the bird.
	Label it B . [1]
(ii)	The bird is not moving. What can be stated about the sizes and directions of forces A and B ?
	[1]
iii)	Name force B .

(b)	The mass of the bird is 25 g and its volume is 30 cm ³ .
	Calculate the density of the bird.

Show your working and state the formula that you use.


formula used


working


____g/cm³ [2]

(c) The metal in the spring is an example of a solid material.

Fig. 7.2 shows the arrangement of particles in a solid, a liquid and a gas.







Z

Fig. 7.2

Which diagram X, Y or Z shows the arrangement of particles in the spring?

Explain your answer.

8 Fig. 8.1 shows the structure of the human alimentary canal.




Fig. 8.1

(a) When a person eats a meal containing starch, the starch is broken down inside the alimentary canal and changed into glucose. The glucose is then absorbed into the blood.

(1)	alimentary canal.	tne
		[1]
(ii)	In which part of the alimentary canal is the glucose absorbed?	
		[1]

(iii) The walls of the alimentary canal contain muscles that can contract and relax. Suggest the function of these muscles.

[1]

(b) Glucose is a good energy food. Athletes often drink liquids containing glucovide them with energy quickly. The glucose is broken down in their muscles of respiration.



(i)	Describe how you could test a drink to find out if it contains a reducing sugar, s as glucose.	such
		[2]
(ii)	Complete the word equation for respiration.	
	glucose + → +	[2]

www.PapaCambridge.com 9 (a) Wood is a solid fuel used in many countries. When it has been buried, compress heated underground for millions of years, wood is converted into another common of solid fuel.

Both of these types of fuel contain large amounts of the element carbon.

Name the fuel formed from wood over millions of years.

(b) Fig. 9.1 shows two experiments, **A** and **B**, carried out on small pieces of wood.





experiment B




Fig. 9.1

	(i)	Explain in which experiment, A or B , the wood is undergoing oxidation.
		[1]
	(ii)	Suggest one gas produced in the reaction in experiment A .
		[1]
((iii)	The wood in experiment B does not catch fire. Suggest the type of chemical reaction in experiment B . Explain your answer briefly.
		type of reaction
		explanation
		[2]
(c)		arcoal is a solid fuel that contains mainly carbon. In ancient times, it is possible that rcoal and copper oxide might have been heated together in a fire.
	(i)	Suggest one observation which would show that a metal was produced in this process.
		[1]
	(ii)	Write a word equation for the reaction between carbon and copper oxide.
		[1]

www.PapaCambridge.com 10 (a) An electric heater is designed to heat a fish tank. The circuit containing this h shown in Fig. 10.1.




Fig. 10.1

The current flowing through the heater is 0.5 A and the voltage across it is 5.0 V.

Calculate the resistance of the heater.

Show your working and state the formula that you use.

formula used

working

(b) The electric heater is placed at the bottom of the fish tank rather than at the top. Explain why this is more effective for heating the water in the tank.

[2]

(c) Choose words from the list below to complete the sentences.

colour	convection	radio
reflection	refraction	sound
speed	transverse	

Light waves form part of the electromagnetic spectrum.

They travel as ______ waves.

They change ______ when they move from water to air.

This causes the light waves to change direction. This is called ______.

Another example of waves which form part of the electromagnetic spectrum is ______ waves.

[4]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

DATA SHEET
The Periodic Table of the Elements

							Š	Group									
	=										=	2	>	>	II/	0	
						T Hydrogen										4 He ium	
4 5 5	Be Beryllum 4 24 Mg Magnesium 12						1				11 Boron 5 27 At Aluminium 13	Carbon 6 Carbon 8 Silicon 114	Nitrogen 7 31 31 Phosphorus 15	16 Oxygen 8 32 \$ \$ \$ Sulphur	19 Fluorine 9 35.5 C 1 Chlorine	Ne Neon 10 Neon 40 Ar Argon 18	
	Calcium 20 Strontium 38 Strontium 38 Barium 56	Scandium Tritanium 21 22 Trianium 22 22 Y Y Zr Zr Zr Zr Zr Zr Zr Zr Zr 27 39 40 178 Lanthanum 57 × 72 Hafnium 57 × 72	N Vanadium 23 93 Nb who Niobium 41 Ta n Tantalum 73	Chromium 24 Wolybdenum 42 Molybdenum 42 W Tungsten 74	Manganese 25 Technetum 43 Re Rhentum 75	56 Fe Iron 26 Ru Ruhenlum 44 190 Os Cosmium 76	Cobalt 27 Cobalt 27 Rh Rhodium 45 Iridium 177	Nickel 28 Nickel 28 Pd Palladium 46 Palladium 78 Paltirum 78	Cu Copper 29 Ag 8 Silver 47 Au H97 Au Gold	Cd Cadmium 48 Mercury 80	70 Ga Gallium 31 115 In 115 In 204 T1 T1	Gemanium 32 119 50 Tin 50 Pb 182 183	75 Assentic 33 Assentic 35 Sb Astumony 51 Bismuth 83	Selentum 34 128 Tellurtum 52 Po Polontum 84	80 Bromine 35 127 I Solidine 53 At Astatine	Krypton 36 Krypton 36 Xee Xeeron 54 Radon 86 Radon 86	20
	Radium Radium Inoid	Actinium 89 Did series Series a = relative atomic mass X = atomic symbol b = proton (atomic) number	Certum 58 232 Th Thorium	Praseodymium 59 Paseodymium 59 Paseodymium 91	144 Nacoymium 60 238 U annum 92	Pm Promethium 61 Np Neptunium Neptunium	Sm Samarium 62 Pu Pu	152 Eu Europium 63 Am Ameridum 95	Gd Gad Gadolinium 64 Cadolinium 64 Cm Curium 96	159 Tb Tb Terbium 65 BK Berkellum 97	162 Dysprosium 66 Californium 98	Ho Holmium 67 Einsteinium 99	167 Erbium 68 Fm Fm 100	Tm Thulium 69 Mandelevium 101	Yb Yb Yterrium 70 No Nobelium	175 Lutetium 71 Lutetium 71 LV	W. Pap
			The	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).	one mole	of any ge	as is 24 dr	m³ at roor	n temper:	ature and	pressure	(r.t.p.).			age con	BANDY.	Cambridge.com

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).