

Centre Number

Candidate Name _____

International General Certificate of Secondary Education
CAMBRIDGE INTERNATIONAL EXAMINATIONS
CO-ORDINATED SCIENCES
PAPER 3

0654/3

OCTOBER/NOVEMBER SESSION 2002

2 hours

Candidates answer on the question paper.
No additional materials are required.

TIME 2 hours

INSTRUCTIONS TO CANDIDATES

Write your name, Centre number and candidate number in the spaces at the top of this page.

Answer **all** questions.

Write your answers in the spaces provided on the question paper.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets [] at the end of each question or part question.

A copy of the Periodic Table is printed on page 20.

FOR EXAMINER'S USE	
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	

- 1 (a) Sound travels at 330 m/s in air.

The table in Fig. 1.1 shows some information about three tuning forks. Complete Fig. 1.1 by calculating the missing values.

Show your working in the space underneath the table.

tuning fork	frequency / Hz	wavelength in air / m
1	288	1.146
2	320	
3		0.773

Fig. 1.1

[3]


- (b) The frequencies of the tuning forks in (a) are easily heard by humans. State the maximum and minimum frequency which humans can usually hear.


maximum frequency

minimum frequency

[2]

- (c) A loudspeaker works in the same way as an earphone.





Number the statements below from one to six to explain how a loudspeaker works. The first has been completed for you.

The coil becomes an electromagnet. The strength of the electromagnet varies with the current.	
This makes the coil move backwards and forwards to correspond with the electrical signal.	
The movement of the coil makes the cone move in and out.	
A variable electrical signal is passed through a coil that is held loosely in the magnetic field of a permanent magnet.	1
A variable force occurs between the electromagnet and the permanent magnet.	
The moving paper cone makes the air vibrate, making sound waves.	

[3]

(d) When sound signals need to be transmitted over long distances, they are first converted to radio waves. The radio waves are modulated.

Explain what is meant by wave modulation.

.....

.....

.....

.....[2]

2 In Canada, where it is cold at some times of year, cucumbers are grown in greenhouses. Growers usually increase the concentration of carbon dioxide in the atmosphere in the greenhouse to about 0.1%, because this increases the yield of fruit from the plants.

(a) (i) State the normal concentration of carbon dioxide in the atmosphere.

..... [1]

(ii) Explain why increasing the concentration of carbon dioxide increases the yield of fruit from the cucumber plants.

.....
.....
..... [2]

(b) In winter, the greenhouses are heated and are kept completely closed. In summer however, when it is warmer outside, ventilators in the greenhouse roof have to be opened to prevent the temperature from getting too high. This means that it is wasteful to add extra carbon dioxide to the greenhouse in summer, because much of it would escape through the open ventilators.

The ventilators open automatically when the temperature reaches a certain level. An experiment was carried out to find the best temperature at which the ventilators should open, when the atmosphere in the greenhouse contains 0.1% CO₂. The table in Fig. 2.1 shows the results.

temperature at which ventilators open / °C	mean number of fruit per plant	mean mass of fruit per plant / kg
23	9.9	4.48
25	11.4	5.20
27	11.1	5.14


Fig. 2.1

(i) Explain how opening the ventilators would allow the greenhouse to cool down.

.....
..... [2]

(ii) Using the information above, and also your own knowledge about how temperature affects living organisms, explain why there is a better yield of cucumbers when the ventilators open at 25 °C than when they open at 23 °C.

.....
.....
.....



- (iii) Suggest an explanation for the differences between the yield of fruit with ventilators open at 27 °C and when they open at 25 °C.

.....

[2]

- (c) The investigation also looked at the best kind of material from which to make the greenhouses. Four identical greenhouses were constructed, using either glass or poly(ethene). In one of each type of greenhouse, extra light was provided. No extra carbon dioxide was provided, and the greenhouses were not heated. The results are shown in Fig. 2.2.

	glass		poly(ethene)	
	no extra light	extra light	no extra light	extra light
mean number of fruit per plant	4.83	7.00	4.75	7.42
mean mass of fruit per plant / kg	2.26	3.38	3.71	4.96

Fig. 2.2

- (i) State one property shared by glass and poly(ethene) that makes them suitable for constructing greenhouses.

.....[1]

- (ii) Suggest why the yields from the cucumber plants in this experiment are almost all lower than the yields shown in the first experiment.

.....
[1]

- (iii) Using all the results from both experiments, suggest the growing conditions that would produce the highest yield of cucumbers when grown in a greenhouse.

.....

[2]

3 Fig. 3.1 shows some data about the elements in the second period of the Periodic Table.

symbol	Li	Be	B	C	N	O	F	Ne
melting point / °C	181	1283	2027	3727	-210	-219	-220	-248
electron configuration of atoms	2,1	2,2	2,3	2,4	2,5	2,6	2,7	2,8

Fig. 3.1

- (a) (i) The melting points and electron configurations of the elements lithium to neon are part of a periodic pattern.

Explain briefly what is meant by the term *periodic pattern*.

.....

.....

.....

.....[2]

- (ii) Predict which element in the third period, sodium to argon, will have the highest melting point.

Explain your answer briefly.

.....

.....

.....[2]

- (b) Explain in terms of their structures why the melting point of carbon is much higher than that of neon. You may wish to draw diagrams to help your answer.

.....

.....

.....

.....[3]

(c) Nitrogen, N_2 , combines with fluorine, F_2 , to form the covalent compound nitrogen trifluoride, NF_3 .

(i) Draw a diagram of one molecule of nitrogen trifluoride, showing how all the outer electrons are arranged.

[2]

(ii) Write a balanced equation for the formation of nitrogen trifluoride.

.....[1]

4 Fig. 4.1 shows a circuit containing three identical 6 ohm resistors.




Fig. 4.1

(a) Ammeter 1 reads 1 A.
State the reading on

ammeter 2

ammeter 3

[2]

(b) Each cell supplies 1.5 V.
What is the total voltage supplied?

.....

[1]

(c) Voltmeter 2 reads 3 V.
State the reading on

voltmeter 1

voltmeter 3

[2]

(d) Calculate the combined resistance of resistors 2 and 3.
Show your working.

Combined resistance =[3]

- (e) When a poly(ethene) rod is rubbed with a cloth, it acquires a negative electric charge. During this process a very small electric current flows.

Explain what is happening.

.....

.....

.....

.....

.....

.....

.....[4]

5 Fig. 5.1 shows the human excretory system.




Fig. 5.1

(a) (i) Name the structures labelled A, B and C.

A

B

C

[3]


(ii) On Fig. 5.1, draw a label line to a blood vessel that contains a relatively high concentration of urea, and label it U. [1]

(iii) State the chamber of the heart into which blood in vessel D will flow.

.....[1]

(b) Explain why the volume of urine that is excreted by the kidneys is likely to be much greater on a cold day than on a hot day.

.....
.....
.....
.....[3]



- (c) Waste liquid from a house, including urine, is carried to a sewage works where it is treated and then released into the sea.

With reference to the processes taking place in the water cycle, explain how some of the water in urine could become part of a tree many miles away from the sea.

.....

.....

.....

.....[3]

- 6 Fig. 6.1 shows an electrochemical cell in which pieces of zinc and copper are used as electrodes. The diagram also shows the direction that electrons move in the circuit.




Fig. 6.1

Electrons move through the wires when metal atoms in the electrodes change into ions.

- (a) Suggest how a suitable electrolyte for this cell could be made.

.....
[1]

- (b) (i) Explain why the zinc electrode is described as being oxidised when the cell is working.

.....
[1]

- (ii) How does the direction of the electron flow in this cell show that zinc is a more reactive metal than copper?

.....

[2]

- (iii) Copper is more reactive than silver.

State and explain how the voltmeter reading will change if the copper electrode is replaced by silver.

.....

[2]

- (c) Describe the bonding in a typical metal such as copper, and explain briefly why they are good conductors of electricity. You should draw a diagram to help your answer.

.....
.....[3]

- (d) Magnesium reacts with copper sulphate solution according to the equation below.



- (i) Describe one observation which could be made during this reaction.

.....
.....[1]

- (ii) Calculate the mass of copper which is produced when 0.48 g of magnesium react in excess copper sulphate solution.

Show your working.

.....[3]

(e) Fig. 6.2 represents atoms in some pieces of magnesium, calcium and strontium.




			
element	magnesium	calcium	strontium
combined mass of these atoms / atomic mass units	264	440	440


Fig. 6.2

Explain which two of these elements a chemist would say are present in the *same amount*.

.....

.....

.....[2]



7 (a) For each of the four proteins listed below, describe where they are found and their functions.

(i) haemoglobin

.....
.....
.....[2]

(ii) antibody

.....
.....
.....[2]

(iii) protease

.....
.....
.....[2]

(iv) insulin

.....
.....
.....[2]

(b) Describe how you would find out if a sample of food contained protein.

.....
.....
.....
.....[3]

8 Fig. 8.1 shows a car lift being used to lift a car, which weighs 10 000 N.




Fig. 8.1

(a) (i) Calculate the pressure that is exerted on the large piston.
Show your working and state any formula that you use.

.....[3]

(ii) State the pressure that the small piston exerts on the fluid.
Explain your answer.

.....
.....[2]


(b) The car lift is an example of a hydraulic lift, which is a *force multiplier*.
With reference to Fig. 8.1, explain the meaning of this term.

.....
.....
.....[2]

(c) A hydraulic lift uses a liquid to transmit pressure.

(i) Explain in terms of particles why liquids can be used to transmit pressure in this way.

.....
.....
.....[2]



(ii) Explain why it is important that hydraulic liquids should contain no gas bubbles.

.....
.....[2]

(d) (i) Describe what happens to the pressure of a fixed volume of gas when the temperature is raised.

.....
.....[2]

(ii) At what temperature would a gas have zero pressure? Explain your answer.

.....
.....[2]

9 The chemical formulae of three ionic compounds are shown below.

NaCl
sodium chloride

CaCl_2
calcium chloride

Na_2CO_3
sodium carbonate

(a) The symbols and charges of some of the ions in these compounds are shown below.

Na^+

Ca^{2+}

Cl^-

Deduce the formula and charge of the carbonate ion.

Show your working.

.....[2]

(b) The presence of calcium chloride in water causes permanent hardness. Washing soda contains sodium carbonate and may be added to hard water in order to soften it.

The reaction between calcium chloride and sodium carbonate produces a precipitate.

(i) Complete the word equation.

calcium chloride + sodium carbonate \rightarrow

[2]

(ii) Explain why this reaction softens the water.

.....
.....[1]

(iii) Describe a simple experiment, using soap solution, which could show that sodium carbonate softens permanently hard water.

.....
.....
.....
.....
.....
.....
.....
.....
.....[4]

(iv) State **one** other method of softening permanently hard water and explain how it works.

.....

.....

.....

.....

.....

.....[3]

DATA SHEET
The Periodic Table of the Elements

		Group																																
I	II	III	IV	V	VI	VII	0																											
7 Li Lithium	9 Be Beryllium	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td>1 H Hydrogen</td> <td colspan="10"></td> </tr> <tr> <td>4 He Helium</td> <td colspan="10"></td> </tr> </table>										1 H Hydrogen											4 He Helium											20 Ne Neon
1 H Hydrogen																																		
4 He Helium																																		
23 Na Sodium	12 Mg Magnesium	5 B Boron	6 C Carbon	7 N Nitrogen	8 O Oxygen	9 F Fluorine	10 Ne Neon	11 B Boron	12 C Carbon	13 Al Aluminium	14 N Nitrogen	15 P Phosphorus	16 S Sulphur	17 Cl Chlorine	18 Ar Argon																			
39 K Potassium	40 Ca Calcium	27 Al Aluminium	28 Si Silicon	31 P Phosphorus	32 S Sulphur	35.5 Cl Chlorine	40 Ar Argon	27 Al Aluminium	28 Si Silicon	31 P Phosphorus	32 S Sulphur	35.5 Cl Chlorine	40 Ar Argon	49 In Indium	50 Tl Thallium	51 Sb Antimony	52 Te Tellurium	53 I Iodine	54 Xe Xenon															
85 Rb Rubidium	88 Sr Strontium	65 Zn Zinc	64 Cu Copper	59 Ni Nickel	58 Co Cobalt	57 Fe Iron	56 Mn Manganese	65 Zn Zinc	64 Cu Copper	59 Ni Nickel	58 Co Cobalt	57 Fe Iron	56 Mn Manganese	80 Hg Mercury	81 Tl Thallium	82 Pb Lead	83 Bi Bismuth	84 Po Polonium	85 At Astatine	86 Rn Radon														
133 Cs Caesium	137 Ba Barium	112 Cd Cadmium	108 Ag Silver	106 Pd Palladium	103 Rh Rhodium	101 Ru Ruthenium	100 Tc Technetium	112 Cd Cadmium	108 Ag Silver	106 Pd Palladium	103 Rh Rhodium	101 Ru Ruthenium	100 Tc Technetium	201 Hg Mercury	204 Tl Thallium	207 Pb Lead	209 Bi Bismuth	210 Po Polonium	211 At Astatine	222 Rn Radon														
226 Ra Radium	227 Ac Actinium	115 In Indium	119 Sn Tin	122 Sb Antimony	125 Te Tellurium	128 I Iodine	131 Xe Xenon	115 In Indium	119 Sn Tin	122 Sb Antimony	125 Te Tellurium	128 I Iodine	131 Xe Xenon	201 Hg Mercury	204 Tl Thallium	207 Pb Lead	209 Bi Bismuth	210 Po Polonium	211 At Astatine	222 Rn Radon														

140 Ce Cerium	141 Pr Praseodymium	144 Nd Neodymium	150 Sm Samarium	152 Eu Europium	157 Gd Gadolinium	162 Dy Dysprosium	165 Ho Holmium	167 Er Erbium	169 Tm Thulium	173 Yb Ytterbium	175 Lu Lutetium
232 Th Thorium	238 U Uranium	238 U Uranium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	98 Cf Californium	99 Es Einsteinium	100 Fm Fermium	101 Md Mendelevium	102 No Nobelium	109 Lr Lawrencium

3-71 Lanthanoid series
0-103 Actinoid series

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).