CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2014 series

9700 BIOLOGY

9700/23

Paper 2 (AS Structured Questions), maximum raw mark 60

www.PapaCambridge.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus
	GCE AS/A LEVEL – May/June 2014	9700
; / R A AW	e abbreviations: separates marking points alternative answers for the same point reject accept (for answers correctly cued by the question, or by alternative wording (where responses vary more than use	ual)
= =		

Mark scheme abbreviations:

max indicates the maximum number of marks that can be given

or reverse argument ora

marking point (with relevant number) mp

error carried forward ecf

ignore

	Page 3	3	Mark Scheme	Syllabus
			GCE AS/A LEVEL – May/June 2014	9700
1	(a) (i)	В;		Syllabus A Day er 9700
	(ii)	D;		Tage .
	(iii)	A ;		[1]
	(b) (i)	amy	lose/amylopectin/glycogen; A starch	[1]
	(ii)	part	1 is saturated/part 2 is unsaturated;	
		part	1 has no double bonds/part 2 has one double bond;	
		part	1 has 27 hydrogens and part 2 has 25; A part 1 has more hydrogens ora	[max 1]
	(iii)	ionid hydi hydi	two from: c/electrovalent (bond); rophobic (interaction); rogen (bond); lfide (bond);	
		a.ca	A Van der Waal's (forces)	[max 2]
				[Total: 7]
2	(a) (i)	1	(method to) stimulate/AW, an immune response; A gives immunological memory	
		2	giving/AW, antigens;	
		3	(method to provide long-term) artificial active immunity	;
		4	one relevant detail; e.g. no ability to cause disease ref. to, harmless/ AW , form of pathogen used (protection through) production of (specific) memory (contains, pathogen/antigen) in an injection or an	
			A (to provide long-term) artificial active immunity if not already credited in mp 3	[max 2]
	(ii)	•	ease) caused by, a pathogen/microorganism; A two of bacteria, virus, fungus, protoctist	
		tran	relevant detail e.g. smissable/communicable/passed from one organism t A spread to others <i>if qualified</i>	o another/ AW ;
		affe	cting the normal function of the body/causing ill health	[max 2]

Page 4	Mark Scheme	Syllabus
	GCE AS/A LEVEL – May/June 2014	9700

(b) (number of cases per 100000) shows, proportion/**AW**, of population affected; **AW**

idea that easier to visualise, the severity of the problem;

useful/more reliable, qualified; e.g. for making comparisons between different countries

(as) countries with larger populations will usually have more cases/higher number of cases may just mean larger population of country;

comparative data quote to support;

[max 2]

- (c) 1 infected person, coughs/sneezes/breathes out/AW, droplets;
 - 2 droplets containing, bacteria/pathogen/*M. tuberculosis*;
 - 3 airborne droplets/droplets in air/moist air, inhaled/inspired/breathed in (by uninfected person);

A droplets if mp 2 given

A by, aerosol, infection/transmission

4 consumption of, milk/meat, containing, bacteria/pathogen/ *M. tuberculosis/M. bovis*;

[max 3]

(d) (HIV/AIDS leads to) weak immune system/reduced immunity (to disease);

detail; e.g. reduced action of phagocytes
Th lymphocytes low in number
B-lymphocyte response low

(so TB) pathogens, can multiply faster/are not destroyed before they cause disease;

idea that important, organs/systems, may already be suffering from consequences of HIV/AIDS (so more likely to stop functioning);

ref. to, inactive/dormant/latent, TB more likely to become active;

[max 2]

[Total: 11]

				The state of the s	DaCambridge.
Pa	ge 5	j		Ilabus	er
			GCE AS/A LEVEL – May/June 2014	9700	30
(a) allow			w mps 1, 5 and 6 if non-competitive or both described	•	STABE.
	1	(glut	tamycin) similar shape to, substrate/glutamyl-tRNA;		Togo
	2	com	petes with substrate/competitive inhibition;		
	3	(glut	tamycin) binds to/fits into/enters, active site;		`
	4	(glut	tamycin) complementary (shape) to active site;		
	5	,	substrate/glutamyl-tRNA, cannot, enter/bind; A no/few, ES complexes A prevents formation of ES complexes A glutamyl-tRNA forms enzyme inhibitor complex		
	6	slow	s the rate of reaction/ AW ;		
	7	ref. i	to increasing concentration of inhibitor has greater effect on	inhibition;	[max 4]
(b)	trar	sport	t is against the concentration gradient/AW;		
	req	uirem	nent of, energy/ATP;		
			nembrane/carrier/transport/pump, protein ; el/pore, protein		
	ref.	to co	onformational change (of pump protein);		
	ref.	to sp	pecificity;		[max 3]
(c)	(i)	nitro	ogen fixation ;		[1]
	(ii)	gain for e	that Rhizobium will receive, photosynthates/assimilates (from s, carbohydrate/amino acids; energy/growth/replication; eives oxygen;	om plant) ;	
		idea	of (nodules provide) correct living conditions/ideal habit ditions (for nitrogenase)/ AW ;	at/anaerobic	
			A ref. to protection, qualified mutualistic relationship; A de	scribed	[max 2]
	(iii)	prod	duction of, ammonium/NH ₄ ⁺ /ammonia/NH ₃ ;		
		(fixe	d/useable) nitrogen transferred to plant;		
		used	d for amino acid production (in plants) ;		
		ref. i	to other uses relevant to growth ; e.g. in DNA replication/tra	nscription	
		incre	eased/used in, protein synthesis ; A named protein		
		(for)	production of new, cells/tissues;		[max 2]
				Ī	Total: 15]

3

	Page 6	Mark Scheme	Syllabus	er
		GCE AS/A LEVEL – May/June 2014	9700	
4	(a) stomata	in, pits/cavities/chambers/crypts; I sunken stomata	13	PANE
	no stoma	ata on upper surface ;	`	Tale
	few stomata ;			COM
	hairs/trid	chomes;		
				-

thick (waxy) cuticle;

thick walled epidermal cells;

several layers of, upper epidermis/hypodermis;

[max 3]

(b) 300;;

(18000/60 or 19000/60 or 20000/6)

allow one mark

if correct measurement is divided by magnification but incorrect conversion factor is used if answer not to nearest 100 μm

[2]

- (c) 1 loss of water vapour from, leaves / aerial parts of the plant;
 - 2 water evaporates from, walls/surface, of mesophyll cells;
 - 3 into air spaces;
 - water vapour diffuses(out to atmosphere); A water if mp2 awarded
 - through open stomata (to atmosphere);
 - 6 down a water potential gradient;

A idea that water potential gradient established

[max 4]

[Total: 9]

	Page 7	Mark Scheme	Syllabus
		GCE AS/A LEVEL – May/June 2014	9700
5	(a) accept F	lb for haemoglobin throughout	Calify
	low(er),	partial pressure/ AW , of oxygen/O ₂ ;	Tage
	high(er),	partial pressure/ AW , of, carbon dioxide/ CO_2 ;	COM
	formatio	n of carbaminohaemoglobin ;	

carbonic acid disocciation to form, hydrogen ions/H⁺ (and hydrogen carbonate ions);

formation of haemoglobinic acid/binding (of Hb) with, hydrogen ions/H⁺, causes release of oxygen; allow HHb

ref. to Hb affinity for oxygen; e.g. Hb has higher affinity for, hydrogen ions/H⁺, than oxygen; reduces/lowers, affinity of Hb for oxygen

Bohr effect;

AVP; e.g. ref. to allosteric effects

[max 3]

- (b) lower, partial pressure/AW, of oxygen (at high altitudes) or less oxygen in inhaled air/AW;
 - (so) percentage saturation of haemoglobin is lower;
 - A haemoglobin is less saturated
 - A fewer molecules of/less, oxygen combine with haemoglobin

more haemoglobin needed (so more red blood cells);

A (more red blood cells) so more haemoglobin/more oxyhaemoglobin can be formed

idea of compensation; e.g. (to transport) same amount of oxygen to, cells/tissues;

ref. to (increased) secretion of, erythropoietin/EPO;

[max 3]

(c) (i) making a (complementary) copy of, DNA; A a gene ref. information / AW, for production of a polypeptide;

> one (DNA) strand acts as a template; AW production of (pre) mRNA; detail of process; e.g. assembly of nucleotides RNA polymerase

[max 3]

		Way.
	Page 8	Mark Scheme Syllabus er
		GCE AS/A LEVEL – May/June 2014 9700
	(ii)	Mark Scheme GCE AS/A LEVEL – May/June 2014 nucleotide/base, sequence of, DNA/gene, changed/AW; A new allele (formed) ref. to altered mRNA/AW; this may be in context of a named type of mutation
		ref. to altered mRNA/ AW ; this may be in context of a named type of mutation consequence on tRNA
		tRNA/anticodon, with different amino acid (to ribosome); A tRNA with different anticodon
		change in amino $\operatorname{acid}(s)/\operatorname{different}$ amino acid sequence/change in primary structure;
		affects, secondary structure/tertiary structure/3D shape/function, of protein;
		ref. to one type of mutation; e.g. base substitution means deletion/insertion, leads to frameshift ref. to premature stop codon [max 3]
	(iii)	may prevent breaking of hydrogen bonds between, base pairs/bases/nucleotides, (and access of RNA polymerase);
		attachment of, RNA polymerase (to DNA);
		progress/functioning, of RNA polymerase (along gene);
		synthesis/elongation of (pre) mRNA;
		AVP ; e.g. interfere with action of helicase [max 2]
		[Total: 14]
6	(a) (i)	deposit/build-up/presence/AW, of atheroma/(atheromatous) plaque;
		thicker wall;
		narrowing of the lumen; R lumen, blocked/clogged
		lumen no longer round;
		rougher/AW, lining; A idea of damaged endothelium [max 2]
	(ii)	damage/ AW , to, endothelium/tunica intima/ AW ;
		promotes blood clotting/makes platelets sticky/increases risk of thrombosis/ \mathbf{AW} ;
		(so) contributes to plaque/atheroma; A atherosclerosis

A reduces diameter

A reduces resistance to blood flow

[max 1]

ref. (vaso) constriction;

	14 1 0 1	0 11 1	
Page 9	Mark Scheme	Syllabus	
•	GCE AS/A LEVEL – May/June 2014	9700	

(b) (i) one correct structural feature with one relevant corresponding function e.g.

thick/muscular, wall; **A** thick tunica media **A** smooth muscle withstand high blood pressure/maintains pressure/provides strength;

elastic tissue; provide, stretch/recoil/**AW**;

smooth tunica intima;

maintain, laminar/smooth, flow; AW

presence of collagen ;
prevents rupture / AW ;

allow the function mark for general statement transports blood away from the heart to the (lungs and) rest of the body; [max 2]

(ii) one cell thick (wall)/endothelium only/thin wall/**AW**; short diffusion distance/high rate of diffusion; I easy diffusion

pores/gaps/spaces, between, cells in wall/endothelium; to allow exchange of substances/example described/formation of tissue fluid;

small, diameter/cross sectional area ; **A** range $7-12\,\mu m$ *ref.* efficient, exchange/delivery/collection, of materials ;

e.g. reaches all cells/**AW**slows down blood flow
maximises time for red blood cells to collect/deliver, oxygen
reduces distance for diffusion to cells

[max 2]

[Total: 7]