

ADVANCED General Certificate of Education 2017

 	Centr	e Nu	mber
Can	didat	e Nu	mber

Biology

Assessment Unit A2 2

assessing

Biochemistry, Genetics and

Evolutionary Trends



[AB221]

AB221

TUESDAY 20 JUNE, MORNING

TIME

2 hours.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page. **You must answer the questions in the spaces provided.**

Do not write outside the boxed area on each page or on blank pages.

Complete in black ink only. Do not write with a gel pen.

Answer all eight questions.

INFORMATION FOR CANDIDATES

The total mark for this paper is 90. Section A carries 72 marks. Section B carries 18 marks. Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

You are reminded of the need for good English and clear presentation in your answers.

Use accurate scientific terminology in all answers.

You should spend approximately **25 minutes** on Section B.

You are expected to answer Section B in continuous prose.

Quality of written communication will be assessed in Section B, and awarded a maximum of 2 marks.

Statistics sheets are provided for use with this paper.



	Section A	
	netically engineered microorganisms contain a gene or genes from other organism.	
(a)	State the role of bacteriophages in genetic engineering.	
		[1]
(b)	Safety precautions are necessary to prevent genetically engineered microorganisms escaping and causing harm in the environment.	
	State two safety precautions that can be employed for this purpose. 1	
	·	
	2	.
(c)	A range of useful substances can be produced by genetically engineered microorganisms.	
	Suggest one advantage of using microorganisms for this purpose, rather tha plants or animals.	n
		[1]

Reversion

Day Learning

Annual Control of the Control of the

Described Forwarding

Roserving

Roserving

20

y Learning

Powerthy

Theorythy

Theorythy

Theorythy

Theorythy

Theorythy

Rewarding Learning

Remarking Junearing

G.

Posserdor J. seming G. S. Reserdor Posserdor J. Learning

Rewarding 20

Research

Parting

Research

Research

Research

Research

Research

Remarks

Powerding Control Research

20 7 Learning

Roserting

To Learning

Rowardin

D y Learning
Reversion

Donasting
Leaving
Research

Parametring
Towarding
Rowarding
Towarding



2	(a)	The table below shows some features found in phyla of the kingdom Animalia.
		Complete the table by placing a tick (✓) in the appropriate box(es) if the feature is present in that phylum

Feature Phylum	Bilaterally symmetrical	Triploblastic	Coelomate	Gut has both a mouth and an anus	Support by internal skeleton of bones
Platyhelminthes					
Chordata					
Annelida					

[3]

(b)	Dig	estion in animals can be intracellular and/or extracellular.
	(i)	Describe precisely the process of extracellular digestion in animals.
		[1
	(ii)	Describe the main evolutionary trend in digestion across the three animal phyla listed above.

[Turn over

10635

Totality


Totali



- 3 DNA provides the code for protein synthesis in living organisms. Transcription and translation of the DNA code results in the production of polypeptides.
 - (a) The bar charts below show the numbers of different bases present in a short section of DNA and mRNA.


Graph 1

Bases present in a short section of a DNA coding (template) strand



Graph 2

Bases present in mRNA transcribed from the section of DNA in Graph 1



(i) Using the information provided and your understanding, identify the bases **W**, **X**, **Y** and **Z**.

W _____

X

Υ _____

Z _____

[2]

Rewards 20 1 Loaning

20


20



After transcription, but before translation, the mRNA in **Graph 2** is modified by the cell. The graph below shows the numbers of different bases present in the mRNA **after** this modification.

Graph 3

Bases present in mRNA after modification



(ii) Using the graph, suggest what happens during this modification.


[Turn over

10635

Research of the control of the contr



(b) The diagram below shows a step in the synthesis of a polypeptide during translation.



Revertin

20 7 Loaning

20

(i) Name structure X.

______[1]

(ii) Using the information in the diagram, describe precisely the sequence of events which results in the attachment of the next amino acid in this polypeptide chain.

		[4]



(a) The diagram below summarises the reactions of the light-independent stage (Calvin cycle) of photosynthesis. CO, ribulose bisphosphate 2 × glycerate phosphate - NADPH ADP $ADP + P_i \leftarrow$ \rightarrow NADP 2 × triose phosphate **ATP** sugars and other compounds Complete the diagram to indicate the number of carbon atoms in ribulose bisphosphate and glycerate phosphate. [1] (ii) Describe the different roles of ATP in the cycle, as shown in the diagram.

> ____ [2] [Turn over



(b) The diagram below shows how both the light intensity and the amount of carbon dioxide fixed by ribulose bisphosphate (RuBP) change across a vertical section of a leaf.

Revertin

Donardo 2 Loaning 2 Loaning


DED !

20

20 Learning

D Learning

20



(i) Suggest one reason for the steep reduction in light intensity at position Z.

[1]	



 · · · · · · · · · · · · · · · · · · ·	 	 	 	
 				 [3
				٠

Totality

Totali




(c) The graph below shows how carbon dioxide concentration affects the rate of photosynthesis.

Roseredor D 7 Learning

[1]

De Learning




Research is currently taking place to develop crop plants that can produce increased levels of RuBP in their chloroplasts.

(i) Draw a line on the graph above to suggest how a higher level of RuBP would affect the rate of photosynthesis in different carbon dioxide concentrations.

(ii) In certain environmental conditions, carbon dioxide can be a limiting factor of photosynthesis. Suggest why carbon dioxide is frequently a limiting factor in summer.

		[1]





Reserving I

Reser



5 (a) Many species of flowering plant have strategies to encourage cross-fertilisation.

Describe one advantage of this.

Revertin

20 7 Loaning

G.

20

20 7 Learning COL

20

Rowerding

20

1 Learning

20

Dearring


20

20

20

20 7 Loaning

(b) The diagram below shows a section through part of a flower and represents the stage immediately following fertilisation.





(i)	Describe the sequence of events following pollination, and resulting in the stage shown in the diagram.	
	[4]	
	FT 2-1	<u>-</u>
10635	[Turn o	ver

Totality

Totali



of f	lowering plants, a fertilised ovule develops into a seed. In many species lowering plant, this happens at the end of the growing season e summer/autumn).
(ii)	The seeds of many local flowering plant species must experience several months of cold weather before they are able to germinate and develop into seedlings.
	Suggest and explain one advantage of this.
	[2

Reversion

Do Loaning

Loaning

Reaserable

Paramity

Rewarding 200

Remarking Junearing

Flowarding
Flowarding
The Rowarding
Flowarding
Flowarding

Rewarding 20

Research

Porting

Control

Roserch

Porting

Control

Roserch

Ro

D y Learning
Research

Paraming
Research
Research
Research
Research
Research
Research

GC.

Donas Control of Paras Control of Paras

20 7 Levarritry

Rowarding 1 Learning



(c) (i) Seed shape in a particular species of flowering plant can be round or oblong. The allele for round seed (R) is dominant to the allele for oblong seed (r). In one population of this species, 10% of the alleles for this gene were found to be r. Using the Hardy-Weinberg equation, calculate the percentage of plants that would be expected to be heterozygous for seed shape in this population. (Show your working.)		
to be r. Using the Hardy-Weinberg equation, calculate the percentage of plants that would be expected to be heterozygous for seed shape in this population. (Show your working.)	(c) (i)	oblong. The allele for round seed (R) is dominant to the allele for oblong
would be expected to be heterozygous for seed shape in this population. (Show your working.)		
(ii) State one condition required for the application of the Hardy-Weinberg equation. [1]		(Show your working.)
(ii) State one condition required for the application of the Hardy-Weinberg equation. [1]		
(ii) State one condition required for the application of the Hardy-Weinberg equation. [1]		
(ii) State one condition required for the application of the Hardy-Weinberg equation. [1]		
(ii) State one condition required for the application of the Hardy-Weinberg equation. [1]		
(ii) State one condition required for the application of the Hardy-Weinberg equation. [1]		
equation. [Turn over		% [3]
[Turn over	(ii)	
[Turn ove		
[Turn ove		
[Turn ove		
[Turn over		
10635	10635	[Turn ove

Totality

Totali



6 (a) Aerobic respiration can be summarised by the equation:

$$6O_2 + C_6H_{12}O_6 \rightarrow 6CO_2 + 6H_2O + energy$$

Revertin

Donardo 2 Loaning 2 Loaning

20 7 Learning

ROMENTED TO LEARNING

G.

Learning Research

20 Learning

Remarking Learning

20 7 Losaming

20 Learning

20 7 Learning

20 7 Learning

DE Learning

20 7 Learning

20 7 Learning

20

20

20 7 Learning

Reserving

Carlos


Reserving

Reserving

Reserving

20 7 Learning

The diagram below provides more detail of the stages involved.





	Identify stage X.	
		[1
)	State precisely where oxidative phosphorylation takes place in the cell.	
		_ [1
i)	Account for the fact that six molecules of CO ₂ are produced during the respiration of one molecule of glucose.	

Totality

Totali




(b) In an investigation into the effect of temperature on respiration in yeast, yeast cells were coated with a chemical called sodium alginate to form yeast 'beads'. Twenty yeast 'beads' were then added to each of two solutions of glucose and kept at 20°C and 40°C respectively. Rewarding 7 Learning

20

De Learning

The surrounding coat of sodium alginate is relatively impermeable to gases and therefore restricts carbon dioxide escaping from the respiring yeast cells.



Over time, the build-up of carbon dioxide causes the 'beads' to rise to the surface of the glucose solutions.

In the investigation, the time taken for each of the beads to rise to the surface of the glucose solutions was recorded.

(i)	State two	variables tha	at should	l have been	controlled in	this	investigation
(')	Claic two	variables the	at Silioulu	Have been	COTTU OTICA II	11113	IIIVCStigation

1	
١.	•

(ii)	In this investigation it was important that an organism was used that could
	respire anaerobically. Suggest why.

		[1]



The results of the investigation are summarised in the table below.

Temperature/°C	Time for bead to rise to surface/s	Mean time/s
20	124, 169, 99, 201, 190, 133, 215, 110, 85, 144, 148, 187, 233, 98, 166, 204, 139, 177, 147, 209	159
40	62, 105, 99, 177, 105, 164, 86, 101, 99, 100, 194, 90, 133, 150, 151, 122, 88, 76, 123, 111	117

(iii) [Describe and explain the trend shown by the mean results.		
-			
-			
		[2	

[Turn over

10635

Tarany
Ta



(iv)	The data indicates that the results are very variable. Suggest two reaso for this variability.	ns
	1	
	2	
		_ [2]
(v)	Suggest the most appropriate way to display these results graphically, in order to communicate both the trend and the variability of the data.	
		[0]
		_ [2]

Reversion

Do Loaning

Loaning

Reaserable

Describing

Constitution

Researcher

Learning

Rowarding 20 1

Parasito
Par

Rewarding Learning

Remarking Junearing

Rowards

Flowerds

Flowerds

Flowerds

Rewarding 20

Research

Participation

The control of the control

Day Learning
Researcing

Towards

Roserds

J. Learning

Roserds

Roserds

D y Learning
Reversion

Donasting
Leaving
Research

Parameter Spanish



7 The banded snail (Cepaea nemoralis) is very variable in shell pattern and colour. Dark horizontal bands may be present running around the shell. Additionally, the shells can be yellow, pink or brown as shown in the photograph below. Presence or absence of banding and shell colour are genetically determined.



© George Bernard / Science Photo Library

(a) The colour gene (C) has multiple alleles, with a dominance series of C^B (brown), **C**^P (pink) and **C**^Y (yellow). Therefore **C**^B is most dominant and **C**^Y is least dominant.

A cross between a brown snail and a pink snail produced offspring in the ratio:

2 brown: 1 pink: 1 yellow

In the space below, use a genetic diagram to show how this ratio could have arisen.

Total Control of the Control of the

10635

[3]

[Turn over



(b) This particular cross was repeated a number of times and 200 offspring were obtained. 89 were brown, 55 were pink and 56 were yellow.

(i) Complete the table below and calculate X^2 for these results.

Category	Observed (O)	Expected (E)	(O – E)	(O – E) ²	(O – E) ²
brown	89				
pink	55				
yellow	56				

[2
	[

Rewards 20 1 Loaning

20

Dearring

(ii) On the basis of your calculated X^2 value, state the following:

the degrees of freedom for the test _______

the probability value _____ [2]

(iii) State the conclusion that can be drawn from this statistical test.

_____ [1]



(c) The gene for banding is independently inherited from the gene for shell colour. The allele for absence of banding (A) is dominant to the allele for presence of banding (a).

Reading I

10635


In the space below, complete the genetic cross between snails with the genotypes AaC^BC^P and AaC^YC^Y to show the ratio of offspring produced and the possible offspring genotypes and phenotypes.

[5]

[Turn over



(d) Brown shells are good at absorbing heat, but poor at reflecting heat. The proportion of brown snails in populations of this species has been calculated in many European countries. The graph below shows the relationship between mean summer temperature and the percentage of snails that had brown shells, in a range of locations across Europe.





(i)	Describe and suggest an explanation for the pattern shown in the graph.
	
	[4]
(ii) Some scientists believe that increasing levels of atmospheric carbon dioxide could influence the future distribution of brown snails in Europe. Suggest and explain how the distribution could change.
	[2]
	PTP
0635	[Turn ove

Totality

Totali



Section B

Roseredor D 7 Learning

20

20

Quality of written communication is awarded a maximum of 2 marks in this section.

- 8 Gene technology continues to contribute to a greater understanding of the genetic code and an increasing ability to manipulate the code.
 - (a) Explain the term 'genome (gene) sequencing'. Describe the potential benefits (both current and future) of genome sequencing and the ethical issues raised by the use of this technology. [12]
 - (b) For gene transfer (genetic engineering), it is necessary to obtain the desired gene. Describe the methods available for obtaining this gene. [4]

Quality of written communication [2]

(a)	Explain the term 'genome (gene) sequencing'. Describe the potential benefits (both current and future) of genome sequencing and the ethical issues raised by the use of this technology.			



		
		
		
		
L	[Turn o	ver
10635	Į tain v	

Tarany
Ta



10835			
10835			
10835			
10635			
10635			
10635			
10835			
10635			
10635			
10835			
10835		 	
10835			
10835			
10835			
10835		<u> </u>	
10635			
10835			
10835			
10635			
10835			
10835			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
10635			
	10635	_	

Reversion

Day Learning

Annual Control of the Control of the

Describing

Constitution

Researcher

Learning

Rowarding 20 1

Research

Research

Research

Research

Research

Research

Research

Research

Remarking Junearing

Research Res

Rewarding 20

Research

Participation

The control of the control

Reverting J. Learning Researcing

Learning

Research

John

Research

Research

Research

Research

D y Learning

Rewardin

Day Learning

20

Rowarding Learning



			
	<i>(</i> 1.)		
	(a)	For gene transfer (genetic engineering), it is necessary to obtain the desired gene. Describe the methods available for obtaining this gene.	
			
			
1063	5	[Turn ov	′er
.500	-		

Totality

Totali



	
10635	

Reversio

Day Learning

Annual Control of the Control of the

2 Leaving

Rowarding

2 Learning

Rowarding

2 Learning

Powerthy

Theorythy

Theorythy

Theorythy

Theorythy

Theorythy

Rewarding Learning

Remarking Junearing

G.

Powerder

J. Learning

Research

J. Learning

Reasoning 2 Learning

Parameter 20 y Learning

GC.

Rowarding 7 Learning Rowarding

20 1 Learning

Theoreting
Theoreting
Theoreting
Theoreting
Theoreting

D y Learning

Rowardin

Powerding Control Research

20 7 Learning

Powersing

Rowersing

January

Rowardin

Leaving

Research

J. Leaving

Research

Research

Research Paragraphy (Care Control of Care Cont



THIS IS THE END OF THE QUESTION PAPER

BLANK PAGE DO NOT WRITE ON THIS PAGE

10635

Reactory I

Reacto



DO NOT WRITE ON THIS PAGE For Examiner's use only Question Marks Number 2 3 4 5 6 7 8 Total Marks **Examiner Number** Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified. 10635/7