

Mark Scheme (Results)

Summer 2013

International GCSE Chemistry (4CH0) Paper 2C

Edexcel Level 1/Level 2 Certificate Chemistry (KCH0) Paper 2C

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.

Their contact details can be found on this link: www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2013
Publications Code UG037093
All the material in this publication is copyright
© Pearson Education Ltd 2013

Question number	Answer	Accept	Reject	Marks
1 (a)	filtration	filtering		1
(b)	(simple) distillation	distilling	fractional distillation	1
(c)	dissolving			1
(d)	chromatography			1
(e)	<u>fractional</u> distillation	fractionally distil(ling)	just distillation / simple distillation	1
			Total	5

Question number	Expected Answer			Accept	Reject	Marks
2	pH at start	pH at end	Correct letter			
	7	7	Α			1
	7	11	E			1
	14	7	С			1
	7	6	В			1
					Total	4

Question number		Answer		Accept	Reject	Marks
3 (a)	Highest temperature	Temperature rise		Readings to 1dp		
	28	3		only if zero		2
	30	6				
	32	9				
	32	9				
			_			
	1 mark for each column c	orrect.				
	mark temp. rise csq on hi	ghest temp.				
	IGNORE incorrect units	- -				
(b) (i)	M1 & M2 - all points corre	ectly plotted to the neare	st gridline			2
	[Deduct 1 mark for each i	ncorrectly plotted point ι	p to a max.			
	of 2]					
	M3 - straight lines drawn through points 1 to 3 and through					1
	points 3 to 5					
	line does not need to be extrapolated to (0,0)					
	must be drawn with the a	d of a ruler				
,]	
(ii)	0.75 (-)			correct reading to	incorrect unit	1
	0.75 (g)			nearest gridline		
				from candidate's		
			graph			

Copper sulfate/copper ions completely reacted / been used up / run out all of the copper has been displaced / deposited reaction complete re	Question number	Answer	Accept	Reject	Marks
excess/references to saturated solution / reactant(s) used up (d) M1 - smaller/larger with magnesium M2 - fewer moles of metal/zinc added / less copper displaced/fewer moles of copper sulfate reacted / fewer moles of copper ions reacted IGNORE references to particles / surface area Less/lower less heat produced	3 (c)	run out	has been displaced / deposited		1
M2 - fewer moles of metal/zinc added / less copper displaced/fewer moles of copper sulfate reacted / fewer moles of copper ions reacted IGNORE references to particles / surface area Iless heat produced ORA less amount fewer atoms of metal/zinc added less (mass/moles of) copper			reaction complete		
displaced/fewer moles of copper sulfate reacted / fewer moles of copper ions reacted IGNORE references to particles / surface area less amount fewer atoms of metal/zinc added less (mass/moles of) copper	(d)	M1 – smaller/larger <u>with magnesium</u>	· —		1
		displaced/fewer moles of copper sulfate reacted / fewer moles of copper ions reacted	less amount fewer atoms of metal/zinc added less (mass/moles		1
· ·			of) copper displaced		
M2 DEP on M1 Total		M2 DEP on M1			9

Question number	Answer	Accept	Reject	Marks
4 (a) (i)	poly(ethene)	polyethene / polythene / polyethylene		1
(ii)	cracking			1
(b) (i)	M1 - bar labelled 9			1
	M2 - drawn to correct height			1
(ii)	(boiling point/it) increases as number of carbon atoms increases	ORA as one goes up, the other goes up positive correlation	(directly) proportional	1

Question number	Answer	Accept	Reject	Marks
4 (c)	A/buried underground because			
	Any two from:	ORA carbon monoxide /		1
	M1 (plastics) do not produce carbon dioxide/carbon emissions / toxic /	nitrogen dioxide / hydrogen chloride /		
	poisonous gases IGNORE harmful/dangerous/polluting gases / sulfur dioxide	chlorine / formulae		1
	• M2 (plastics) do not contribute to global warming /climate change /		References to ozone layer for M2 only	
	greenhouse effect / acid rain			OR
	• M3_Does not pollute the <u>soil</u> / cause damage to the <u>soil</u> .			
	IGNORE references to effect on wildlife/habitats / cost			
	OR			
	B/burned because			1
	• M1 (burning) space in landfill not taken up / does not cause landfill sites to get filled up / will not run out of space for landfills			1
	• M2 it provides heat / can be used to generate electricity			
	IGNORE just provides energy			
			Total	7

Question		Answer	Accept	Reject	Marks
5 (a)	(i)	unsaturated			1
	(ii)	M1 - (unsaturated) colourless IGNORE clear/transparent/looks like water	no colour	discoloured	1
		M2 - (saturated) orange	yellow / brown and any combination	any other colour either on its own or in combination with an accepted colour	1
	(iii)	addition			1
(b)	(i)	Α			1
	(ii)	C <u>and</u> D	C , D	C <u>or</u> D	1
	(iii)	each colouring has a different mixture/combination/patterns of dyes	Spots / dots for dyes		1
		IGNORE references to different heights / distances and solubilities.			
				Total	7

Question number	Answer	Accept	Reject	Marks
6 (a)	(giant) ionic		any other	1
(1.)	IGNORE three-dimensional / lattice		answer	
(b)	M1 and M3 can be scored from labelled diagrams			
	sodium:			
	M1 – positive ions/cations/Na ⁺ and (delocalised/sea of) electrons IGNORE metal ions	Sodium / metal ions	atoms/molecu les	1
	M2 – (electrostatic) forces/attraction between positive		nuclei	
	ions/cations/Na ⁺ and (delocalised) electrons		intermolecular forces	1
	IGNORE references to metallic bonding		Torces	
	sodium chloride:			1
	M3 – positive <u>and</u> negative ions/cations <u>and</u> anions / Na ⁺ <u>and</u> Cl ⁻ (ions)	oppositely charged ions	atoms/molecu les	
			nuclei	1
	M4 - <u>electrostatic</u> forces/attraction between (oppositely charged/positive	chlorine ions if stated as being negative	intermolecular forces	
	and negative) ions / cations and anions / Na ⁺ and Cl ⁻		10100	
	IGNORE references to ionic bonding		reference to covalent loses M4	1
	comparison:			
	M5 - forces in Na are weak <u>er</u> (than forces in NaCl) can be awarded even if an incorrect description of the forces has been given.	less energy required to overcome forces in Na		
	[standalone]	bonds / lattice for forces		
		ORA		

Question number	Answer	Accept	Reject	Marks
6 (c)	$M1 - n(Na) = \frac{0.138}{23} \text{ or } 0.006$			1
	M2 - $n(H_2) = \frac{1}{2} \times M1$ or 0.003			1
	M3 - vol. $H_2 = 24\ 000\ x\ M2$ or 72 (cm ³)	0.072 <u>dm</u> ³		1
	[Mark consequentially. $n(Na)$ and $n(H_2)$ need not be evaluated.]			
	correct final answer on its own without working scores 3			

Question number	Answer	Accept	Reject	Mar ks
6 (d) (i)	M1 - (add dilute) <u>nitric</u> acid	addition of silver nitrate before nitric acid for both M1 and M2		1
	M2 - (add aqueous) silver nitrate	correct formulae throughout		1
	M3 - white precipitate / solid / suspension			1
(ii)	M3 dependent on M2			
(")	Reason – it fizzed / a gas was evolved OR sodium hydroxide would not fizz /	sodium hydroxide is soluble		1
	produce a gas IGNORE incorrect identification of gas			1
	X = <u>sodium</u> carbonate / <u>sodium</u> hydrogencarbonate			_
(e)	M1 - 8 electrons around Na	any combination of dots and crosses 0 electrons		1
	M2 - 8 electrons around Cl. IGNORE inner shells even if incorrect IGNORE starting diagrams showing atoms either with or without arrow to show movement of electron	o electrons		1
	M3 - correct charge on <u>both</u> Na and Cl [standalone]			1
(f)	M1 - potassium is more reactive than sodium	reactivity increases down Group 1 ORA		1
	M2 - (but) bromine is less reactive than chlorine	reactivity decreases down Group 7 ORA	-ide endings	1
1			Total	19

	Question number		Ansv	ver		Accept	Reject	Marks
7	(a)	Solution	Negative electrode	Positive electrode	Substance left			1
		silver sulfate potassium	silver	oxygen	potassium	correct formulae throughout	O for oxygen	2
		nitrate		Oxygen	nitrate	em dagnoac	o for oxygen	_
	(b) (i)	platinum				carbon / graphite copper/ silver / gold / titanium		1
	(ii)	to increase its (electrical) conductivity / to make it a (better) (electrical) conductor / to lower its (electrical) resistance IGNORE references to carrying current / charge / adds hydrogen ions				to increase the concentration/numb er of ions		1
	(c) (i)	Moles/amount of hydrogen (produced) = 2 x moles/amount of oxygen (produced) IGNORE explanations based on forming water				number of molecules of hydrogen (produced) is twice that of oxygen	explanations based on atoms	1
	(ii)	(some of the) oxygen dissolves in water/acid			(some of the) oxygen reacts with the (carbon) electrode/to form CO ₂ (which then dissolves)	oxygen reacts with water/(sulfuric) acid	1	
	(d)	M1 - number of		482 50 0 96 50 0 or 5				1
		M2 - $n(H_2) = \frac{1}{2}$	x M1 or 2.5	;			Incorrect units	1
		Final answer on	its own with	out working s	scores 2			
-							Total Total	9 60

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email <u>publication.orders@edexcel.com</u>
Order Code UG037093 Summer 2013

For more information on Edexcel qualifications, please visit our website $\underline{www.edexcel.com}$

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





