Write your name here Surname	Othe	er names
Pearson Edexcel Certificate Pearson Edexcel International GCSE	Centre Number	Candidate Number
Chemistry Unit: KCH0/4CH0 Paper: 2C		
Tuesday 10 June 2014 – Aft Time: 1 hour	ternoon	Paper Reference KCH0/2C 4CH0/2C
You must have: Calculator		Total Marks

## **Instructions**

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ⋈. If you change your mind about an answer, put a line through the box ⋈ and then mark your new answer with a cross ⋈.

## Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## **Advice**

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

P 4 2 8 6 6 A 0 1 2 4

Turn over ▶



ш
$\mathbf{\omega}$
⋖
F
0
$\stackrel{\sim}{=}$
0
$\stackrel{\sim}{\simeq}$
$\alpha$
$\alpha$
PER
EB
HE PER
HE PER

4 Helica 4

0

7

9

2

က

Group

N

Period

Hydrogen

							T											٦		
20	Š	Neon	5	40	Ā	Argon 18	28	궃	Krypton	36	131	×	Xenon	<b>2</b> 2	222	뜐	Radon	3		
19	ш	Fluorine	6	35.5	ರ	Chlorine 17	80	ă	Bromine	32	127	_	lodine	23	210	¥	Astatine 85	1		
16	0	Oxygen	80	32	ഗ	Sulfur	62	Se	Selenium	8	128	Ţ	Tellurium	52	210	S S	Polonium 84			
4	z	Nitrogen	7	3	۵.	Phosphorus	75	As	Arsenic	33	122	Sp	Antimony	51	508	ä	Bismuth	3		
12	ပ	Carbon	9	28	:S	Silicon	73	Ge	Germanium	35	119	S	重	50	202	g Q	Lead	\$		
=	ω	Boron	5	27	₹	Aluminium	2 02	Ga	Gallium	31	115		Indium	49	202	F	Thallium	5		
							65	Zu	Zinc	30	112	පි	Cadmium	48	201	욷	Mercury	3		
							63.5	ö	Copper	53	108	Ad	Silver	47	197	Au	Gold			
							59	Z	Nickel	28	106	Pd	Palladium	94	195	ă	Platinum	2		
							59	S	Cobalt	27	103	뜐	Rhodium	45	192	_	lridium 77			
							26	T.	<u>5</u>	56	101	2	Ruthenium	4	190	ő	Osmium	2		
							55	Σ	Manganese	52	8	ပ	Technetium	43	186	Be	Rhenium	2		
							52	č	Chromium	24	96	W	Molybdenum	42	181	>	Tungsten	*		
							51	>	Vanadium	23	93	S	Niobium	41	181	Ta	Tantalum	2		
							48	F	Titaninm	22	16	Zr	Zirconium	40	179	Ξ	Hafnium 72			
							45	Ċ.	Scandium	2	88	>	Yttrinm	88	139	La	Lanthanum 57	227	۸	Actinium
6	Be	Beryllium	4	24	Σ	Magnesium	40	č	Calcium	8	88	Š	Strontium	88	137	Ва	Barium	226	ä	Radium
7	=	Lithium	က	S3	Z	Sodium	39	¥	Potassium	19	98	8	Rubidium	37	133	S	Caesium	223	ŭ	Francium

Key

Relative atomic mass
Symbol
Name
Atomic number



က

N

2

9

/




## **Answer ALL questions.**

1 A student investigates some food colourings, each of which is made up of one or more dyes.

She produces a chromatogram using the safe colourings red (SR), blue (SB) and green (SG) and food colourings red (FR), blue (FB) and green (FG).

The diagram shows her chromatogram.



reference line

(a) How many dyes are there in SR?

(1)

- □ A 1 □ B 2 □ C 3 □ D 4
- (b) Complete the table by placing ticks (✓) next to the two food colourings that are definitely safe to use.

Explain your answer.


(2)

Food colouring	Safe to use?
FR	
FB	
FG	

explanation	 

(Total for Question 1 = 3 marks)

This apparatus is used to separate a mixture of ethanol (boiling point 78  $^{\circ}$ C) and water (boiling point 100  $^{\circ}$ C).



(a) What is the name of this method of separation?

(1)

(b) Why can ethanol and water be separated by this method?

(1)

(c) Suggest why water should enter the condenser at A rather than B.

(1)

(d) Explain why the first liquid to be collected in the beaker is mostly ethanol.

(1)

(Total for Question 2 = 4 marks)



						Н											Н
Li	Be											В	С	N	0	F	Ne
Na	Mg											Al	Si	Р	S	Cl	Aı
K	Ca																
(a)	(i) V	Vhat r	name	is give	en to	a hori	zonta	l row	of ele	ment	s such	ı as Na	a to A	r?		(1)	
	(ii) N					e row										(1)	
	(;;;) \^					tive ele											
	E	xplair	n your	answ	er.				ic TOW	Na K	<i>7</i> 7 1 :					(2)	
	eactive	e elen	nent														
	nation																
	State	e, in te	erms o	of elec	troni		igurat					s in th	ne col	umn l	Li to k	(1)	
(b)	State	e, in te simila	erms o	of elec	troni	c conf perties	igura†	tions,				s in th	ne col	umn l	Li to k		

(d) An atom has atomic number 8 and mass number 18.  How many protons, neutrons and electrons does this atom contain?	(2)
protons	
neutrons	
electrons	
(Total for Questi	on 3 = 9 marks)



BLANK PAGE

**4** A student investigates the rate of reaction between sodium thiosulfate and hydrochloric acid at 25 °C.


The equation for the reaction is

$$Na_2S_2O_3(aq) + 2HCI(aq) \rightarrow 2NaCI(aq) + H_2O(I) + SO_2(g) + S(s)$$

She uses this method.

- pour 50 cm<sup>3</sup> of sodium thiosulfate solution into a conical flask
- place the conical flask on top of a sheet of paper with a cross drawn on it
- add 10 cm<sup>3</sup> of hydrochloric acid and start the timer
- stop the timer when the cross can no longer be seen and record the time taken

The student repeats the experiment five times with different volumes of sodium thiosulfate solution. She adds water as necessary to keep the total volume of reaction mixture constant.



(a) Why can the student no longer see the cross at the end of ea	(1)

(b)	The student keeps the total volume of the reaction mixture constant in each experi	ment
	Explain how this makes each experiment a fair test.	(1)






(c) The table shows the student's results.

Experiment	Volume of Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> solution in cm <sup>3</sup>	Volume of water in cm <sup>3</sup>	Time in seconds
1	50	0	45
2	40	10	60
3	30	20	80
4	20	30	130
5	15	35	180
6	10	40	255

Why is it important for the student to add the water before the acid in experime	ents 2 to 6? (1)
(d) Sulfur dioxide gas is given off in the reaction.	
Suggest a safety precaution that the student should take when doing this expense	riment.
Explain your answer.	(2)
precaution	
explanation	

(e) (i) Plot the student's results on the grid and draw a curve of best fit.

(3)



(ii) On the grid, sketch the curve that you would expect if the investigation were repeated at  $40\,^{\circ}$ C.


Assume all other factors remain constant.

(2)

(Total for Question 4 = 10 marks)



5 The diagram shows the diaphragm cell used in the electrolysis of concentrated sodium chloride solution, NaCl(aq).



(a) Explain what is meant by the term **electrolysis**.

(2)

(b) Identify gas A, gas B and solution C.

(3)

gas A.....

gas B

solution C

	(Total for Question 5 = 8 ma	nulca)
		(2)
	$Na^+ + e^- \rightarrow Na$ Write the ionic half-equation for the formation of chlorine from chloride ions.	
	(ii) The ionic half-equation for the formation of sodium is	
	(i) Why does the sodium chloride have to be molten before it will conduct electri	city? (1)
	Sodium is produced at the negative electrode and chlorine is produced at the positive electrode.	
(c)	Sodium is manufactured by the electrolysis of molten sodium chloride, NaCl(l).	

**6** Solid X contains two cations (positive ions) and one anion (negative ion).

One of the cations is Fe<sup>3+</sup>

(a) The table describes the tests carried out on an aqueous solution of X and some of the observations made.

Complete the table by giving the missing observation.

(1)

Test	Observation
add sodium hydroxide solution	
then heat the mixture and test the gas given off with damp red litmus paper	litmus paper turns blue
add dilute hydrochloric acid, then add a few drops of barium chloride solution	white precipitate forms
(b) (i) Which cation, other than Fe <sup>3+</sup> , is p	present in X?
Explain your answer.	(2)
cation	
explanation	
(ii) Identify the anion present in X.	(1)

(c) When zinc is added to a solution containing Fe <sup>3+</sup> ions, a reaction occurs.	
The ionic equation for this reaction is	
$Zn(s) + 2Fe^{3+}(aq) \rightarrow Zn^{2+}(aq) + 2Fe^{2+}(aq)$	
Identify the reducing agent in this reaction and explain your choice.	(2)
	(2)
reducing agent	
explanation	
(Total for Question 6 = 6 mar	ks)

<b>7</b> (a)	The first two	members of	the homologous	series of alcohols	are methanol	and ethanol.
--------------	---------------	------------	----------------	--------------------	--------------	--------------

(i) Give two characteristics of the compounds in a homologous series.

(2)

I ......

2

(ii) The displayed formula for methanol is

Suggest a displayed formula for ethanol,  $CH_3CH_2OH$ 

(1)

(b) The table shows the two different processes for making ethanol on a large scale.

Process	Explanation
batch process	the fermentation of sugars with yeast
continuous process	the hydration of ethene (produced from crude oil) with steam

Compare the two processes in terms of

- the rate at which the ethanol can be produced
- the purity of the product
- the use of finite resources

(3)

			_	_		
( <b>~</b> \	The	_ ~	fautha	fermentation	of allicos	~ i~
( )	ine (	eauanon	ior ine	Termentation	OF OHLCOS	21 4
( <del>-</del> /		equation	ioi ciic	TCTTTCTTCCTTC	or gracos	C

$$C_6H_{12}O_6 \rightarrow 2CH_3CH_2OH + 2CO_2$$

A mass of 3600 kg of glucose was completely fermented.

(i) Calculate the amount, in moles, of glucose that was fermented.  $(M_r, of glucose = 180)$ 

(2)


(ii) Deduce the amount, in moles, of ethanol produced in this reaction.

(1)

(iii) Calculate the volume, in dm³ at rtp, of carbon dioxide produced in this reaction. (1 mol of carbon dioxide occupies 24 dm³ at rtp)

(2)

(Total for Question 7 = 11 marks)



**8** The hydrogen needed for the manufacture of ammonia is made by a process called steam reforming.

In this process, a mixture of methane and steam is passed over a nickel catalyst.

The equation for the reaction is

$$CH_4(g) + H_2O(g) \rightleftharpoons CO(g) + 3H_2(g)$$
  $\Delta H = +210 \text{ kJ/mol}$ 

- (a) In this part of the question, assume that the reaction reaches a position of equilibrium.
  - (i) Predict whether a high or low temperature would produce the highest yield of hydrogen. Give a reason for your choice.

(1)

prediction	on
reason	
(	ii) Predict whether a high or low pressure would produce the highest yield of hydrogen.

(ii) Predict whether a high or low pressure would produce the highest yield of hydrogen. Give a reason for your choice.

(1)

prediction
reason

(b) Explain how a catalyst increases the rate of a reaction.

(2)



c) Some of the carbon monoxide produced is removed in another reaction.  In this reaction, carbon monoxide is mixed with steam and passed over a heate  The reaction is reversible and the carbon monoxide is oxidised to carbon dioxide.	•	
(i) Write a chemical equation for this reaction.	(2)	
(ii) Explain why the carbon in carbon monoxide is oxidised in this reaction.	(1)	
(iii) The carbon dioxide produced can be removed by passing the gas through solution of potassium carbonate, K <sub>2</sub> CO <sub>3</sub>	a	
The potassium carbonate reacts with carbon dioxide and water to form potassium hydrogencarbonate, $\mathrm{KHCO_3}$		
Write a chemical equation for this reaction.	(2)	
(Total for Question 8 = 9	marks)	
TOTAL FOR PAPER = 60 I	TOTAL FOR PAPER = 60 MARKS	





