



# **Mark Scheme (Results)**

Summer 2018

Pearson Edexcel International GCSE  
In Mathematics A (4MA0) Paper 2FR

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at [www.edexcel.com](http://www.edexcel.com).

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

[www.edexcel.com/contactus](http://www.edexcel.com/contactus)

## **Pearson: helping people progress, everywhere**

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2018

Publications Code 4MA0\_2FR\_1806\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2018

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
  - cao – correct answer only
  - ft – follow through
  - isw – ignore subsequent working
  - SC - special case
  - oe – or equivalent (and appropriate)
  - dep – dependent
  - indep – independent
  - eeoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

| International GCSE Maths  |   |                                |      |   |
|---|---|--------------------------------|------|---|
| Apart from questions 17a(ii), 21 and 24 (where the mark scheme states otherwise) the correct answer, unless clearly obtained from an incorrect method, should be taken to imply a correct method. |   |                                |      |   |
| Question  | Working   | Answer                         | Mark | Notes   |
| <b>1</b> (a)  |   | 176                            | 1    | B1  |
| (b)(i)  |   | Arrow pointing to 2.28         | 1    | B1  |
| (ii)  |   | 0.08                           | 1    | B1oe, e.g. $\frac{2}{25}$   |
| (c)   |   | 0.0011, 0.063, 0.07, 0.6, 0.77 | 1    | B1  |
| (d)   | $(12.9+13.7) \div 2$ or $12.9 + (13.7 - 12.9) \div 2$ | 13.3                           | 2    | M1 any complete method to find halfway value<br>A1                          |
| <b>Total 6 marks</b>  |   |                                |      |   |
| <b>2</b> (a)(i)   |   | millilitres                    | 1    | B1 Condone incorrect spelling if meaning clear. Allow ml or cm <sup>3</sup> |
| (ii)  |   | centimetres                    | 1    | B1 Condone incorrect spelling if meaning clear. Allow cm.                   |
| (b)   |   | 4300                           | 1    | B1  |
| <b>Total 3 marks</b>  |   |                                |      |   |

| Question             | Working  | Answer                       | Mark | Notes  |
|----------------------|--|------------------------------|------|--|
| <b>3</b> (i)         |  | tangent                      | 1    | B1 Condone incorrect spelling if meaning clear.  |
| (ii)                 |  | radius                       | 1    | B1 Condone incorrect spelling if meaning clear.  |
| (iii)                |  | chord                        | 1    | B1 Condone incorrect spelling if meaning clear.  |
| <b>Total 3 marks</b> |  |                              |      |  |
| <b>4</b> (a)         |  | 6079                         | 1    | B1   |
| (b)                  |  | 400                          | 1    | B1 Hundred(s), 4 hundred(s), 100   |
| (c)                  |  | 72.2                         | 1    | B1   |
| (d)                  | 18, 36, 54, 72, 90, 108, 126, 144, 162, 180, ... | e.g. 18, 36                  | 1    | B1 Any two multiples of 18   |
| (e)                  |  | 70                           | 1    | B1   |
| (f)                  |  | $25 + 3 \times (7 - 2) = 40$ | 1    | B1 Correct brackets  |
| (g)                  |  | 8607                         | 1    | B1   |
| <b>Total 7 marks</b> |  |                              |      |  |
| <b>5</b> (a)         |  | 3, 7, 5, 3, 2                | 2    | B2 For all correct frequencies<br>B1 for 3 or 4 correct frequencies<br>or at least 3 correct tallies |
| (b)                  |  | 1                            | 1    | B1ft From table  |
| (c)                  |  | $\frac{3}{20}$               | 1    | B1ft From table<br>oe  |
| <b>Total 4 marks</b> |  |                              |      |  |

| Question      | Working   | Answer | Mark | Notes   |
|---------------|---|--------|------|---|
| 6 (a)         |   | Kazan  | 1    | B1 Accept −12   |
| (b)           |   | 15     | 1    | B1 Accept −15   |
| (c)           |   | 11     | 1    | B1  |
| Total 3 marks |   |        |      |   |
| 7             | $40 - 19.50 (= 20.5(0))$ or $40 - 8.56 (= 31.44)$ | 6      | 4    | M1 Correct method to find money left after taking away cost of rake or change |
|               | $40 - 19.50 - 8.56 (= 11.94)$                     |        |      | M1 Correct method to find money left after taking away cost of rake & change  |
|               | "11.94"÷1.99                                      |        |      | M1 A fully correct method to find number of packets of seed                   |
|               |   |        |      | A1  |
| Total 4 marks |   |        |      |   |
| 8 (i)         |   | B      | 1    | B1 Accept $\frac{3}{12}$ oe   |
| (ii)          |   | E      | 1    | B1 Accept $\frac{9}{12}$ oe   |
| (iii)         |   | F      | 1    | B1 Accept 1   |
| (iv)          |   | A      | 1    | B1 Accept 0   |
| Total 4 marks |   |        |      |   |


| Question             |     | Working  | Answer    | Mark | Notes  |
|----------------------|-----|--|-----------|------|--|
| <b>9</b>             | (a) |  | 16 45     | 1    | B1   |
|                      | (b) |  | 130       | 1    | B1   |
|                      | (c) |  | 8 19 pm   | 1    | B1 Accept 20 19  |
| <b>Total 3 marks</b> |     |  |           |      |  |
| <b>10</b>            | (a) | $\frac{360}{240} (=1.5)$ oe or $\frac{38}{240}$  | 57        | 2    | M1 For a correct method to find angle for 1 throw or fraction of full circle |
|                      |     |  |           |      | A1   |
|                      | (b) | $\frac{250}{100} \times 360$ oe or<br>$60 \times 2.5 + 80 \times 2.5 + 250 + 70 \times 2.5 + 50 \times 2.5$<br>(= 150 + 200 + 250 + 175 + 125) | 900       | 2    | M1 For a correct method to find number of spins                              |
|                      |     |  |           |      | A1   |
| <b>Total 4 marks</b> |     |  |           |      |  |
| <b>11</b>            | (a) |  | $3t$      | 1    | B1   |
|                      | (b) |  | $15pq$    | 1    | B1   |
|                      | (c) |  | $4y - 20$ | 1    | B1   |
|                      | (d) | $8x = 5 \times 9.2$ or $8x = 46$ or $\frac{x}{5} = \frac{9.2}{8}$  | 5.75      | 2    | M1 Clearing fraction or dividing by 8  |
|                      |     |  |           |      | A1 oe 46/8 etc   |
| <b>Total 5 marks</b> |     |  |           |      |  |



| Question      | Working   | Answer  | Mark | Notes   |
|---------------|---|---|------|---|
| 12 (a)        | $0.5 \times (22 + 25) \times 12$ oe                   | 282   | 2    | M1 Correctly substituting values into formula for area of trapezium                 |
|               |   |   |      | A1  |
| Total 2 marks |   |   |      |   |
| 13 (a)        |   | 10  | 1    | B1  |
| (b)           | $7 \div 0.5$ or 7 km in 0.5 hours oe                  | 14  | 2    | M1  |
|               |   |   |      | A1  |
| (c)           |   | “Horizontal” line from (2 10, 16) to (2 50, 16)<br>“Diagonal” line from (2 50, 16) to (3 50, 0) | 2    | M1 For correct horizontal line or diagonal line with negative gradient to (3 50, 0) |
|               |   |   |      | A1 Fully correct graph  |
| Total 5 marks |   |   |      |   |
| 14            | $360 \div 1.25 (= 288)$ or $425 \times 0.72 (= 306)$  | 18  | 3    | M1  |
|               | $360 \div 1.25 (= 288)$ and $425 \times 0.72 (= 306)$ |   |      | M1  |
|               |   |   |      | A1 cao  |
| Total 3 marks |   |   |      |   |

| Question      | Working   | Answer     | Mark | Notes   |                                     |
|---------------|---|------------|------|---|-------------------------------------|
| 15            | $39\,000 \div 3 (=13\,000)$ oe  | 9          | 5    | M1 $\frac{1}{3} \times 39\,000$ oe  | M2 for $\frac{2}{3} \times 39\,000$ |
|               | M1  |            |      |   |                                     |
|               | $39\,000 - '13\,000' (=26\,000)$ oe   |            |      | M1 A correct method to find 55% of 5 300  |                                     |
|               | $0.55 \times 5\,300 (=2915)$ oe   |            |      | M1 A correct method to find the number of weeks   |                                     |
|               | "26 000"÷"2915" (=8.919...)   |            |      | A1  |                                     |
| Total 5 marks |   |            |      |   |                                     |
| 16            |   | 2 , 20, 29 | 3    | M2 for 3 number selected with at least two of the properties: mean = 17, median = 20, range = 27 else M1 with one of these properties |                                     |
|               |   |            |      | A1 in any order   |                                     |
| Alternative   |   |            |      |   |                                     |
| 16            | $17 \times 3 (=51)$   | 2 , 20, 29 | 3    | M1 method to find sum of 3 numbers  |                                     |
|               | $17 \times 3 - 20 (=31)$  |            |      | M1 method to find sum of smallest and largest numbers   |                                     |
|               | A1 in any order   |            |      |   |                                     |
| Alternative   |   |            |      |   |                                     |
| 16            | $x, 20, z$<br>or $x, y, z$ and $y = 20$   | 2 , 20, 29 | 3    | M1 use of different letters with 20 shown as the middle value   |                                     |
|               | $x + z = 31$ or $\frac{x + 20 + z}{3} = 17$ oe<br>or $z - x = 27$ or $x - z = 27$ |            |      | M1 an equation for the sum or for the difference of the two unknown numbers   |                                     |
|               |   |            |      | A1 in any order   |                                     |
|               | Total 3 marks   |            |      |   |                                     |

| Question      | Working  | Answer        | Mark | Notes |   |
|---------------|--|---------------|------|-------|---|
| 17 (a)(i)     |  | 67            | 1    | B1    |   |
| (ii)          |  | <u>reason</u> | 1    | B1    | dep on B1 or a fully correct method shown in (i)<br>e.g. <u>alternate angles</u> are equal<br>or other fully correct method   |
| (b)           | e.g. $180 - (67 + 60)$ or $120 - 67$ or<br>$(180 - 67) - (180 - 120)$ or $113 - 60$ or<br>$180 - 67 = 60 + y$ or $113 = 60 + y$ or<br>$120 - y = 67$ | 53            | 2    | M1    | Correct calculation for $y$ or correct equation in $y$ ,<br>or $BFC = 60^\circ$ and $BCF = 67^\circ$<br>or $ABF = 60^\circ$ and $BCF = 67^\circ$<br>or $ABF = 60^\circ$ and $ABC = 113^\circ$ |
|               |  |               |      | A1    |   |
| Total 4 marks |  |               |      |       |   |
| 18            | $(0 \times 2) + 1 \times 7 + 2 \times 3 + 3 \times 4 + 4 \times 3 + 5 \times 1$<br>$(0 +) 7 + 6 + 12 + 12 + 5$                                       | 42            | 2    | M1    | For at least 4 correct products seen with the<br>intention to add.  |
|               |  |               |      | A1    | SC B1 for 2.1   |
| Total 2 marks |  |               |      |       |   |
| 19            | $\frac{6}{100} \times 8.50$ or $0.06 \times 8.50$ or 0.51 or 51p   | 9.01          | 3    | M1    | M2 for $1.06 \times 8.50$ oe  |
|               | M1   |               |      | dep   |   |
|               | 8.50 + “0.51”  |               |      | A1    |   |
| Total 3 marks |  |               |      |       |   |

| Question      | Working   | Answer   | Mark | Notes   |   |
|---------------|---|--|------|---|---|
| 20 (a)        |    | A correct enlargement in the correct position  | 2    | M1  | Enlargement of given shape by SF 3 anywhere on grid or completely correct enlargement by SF 2 |
|               |   |  |      | A1  | Fully correct   |
| (b)           |   | Rotation<br>(Centre) (0,0)<br>90° clockwise oe | 3    | B1<br>B1<br>B1  | <i>O</i> or origin<br>−90°, 270°<br>If more than one transformation mentioned then no marks   |
| Total 5 marks |   |  |      |   |   |
| 21            | e.g. $7x = 4x - 13.5$ or $7x - 4x = -13.5$<br>or $7x + 13.5 = 4x$ or $4y - 7y = 54$ | $x = -4.5$ $y = -18$                           | 3    | M1  | For correctly eliminating $y$ or $x$  |
|               | M1  |  |      | dep on first M1<br>For method to find second variable |   |
|               | A1  |  |      | dep on first M1 for both answers                      |   |
| Total 3 marks |   |  |      |   |   |

| Question             | Working  | Answer          | Mark | Notes   |
|----------------------|--|-----------------|------|---|
| <b>22</b>            | $\cos A = \frac{43}{70} (=0.6142)$ or $\sin B = \frac{43}{70} (=0.6142)$               | 142             | 4    | M1 $\cos B = \frac{55.23...}{70}$ , $\sin A = \frac{55.23...}{70}$  |
|                      | $A = \cos^{-1}\left(\frac{43}{70}\right)$ or $B = \sin^{-1}\left(\frac{43}{70}\right)$ |                 |      | M1 $A = \sin^{-1}(0.7890...)$ $B = \cos^{-1}(0.7890...)$  |
|                      | $A = 52.1^{\circ}$ or $B = 37.9^{\circ}$   |                 |      | A1 $52^{\circ} - 52.1^{\circ}$ or $37.9^{\circ} - 38^{\circ}$<br><b>SC B1</b> If M0 M0 A0 award B1 for $52.1^{\circ}$ or $37.9^{\circ}$ not identified as $A$ or as $B$ |
|                      |  |                 |      | B1 ft for an angle identified as $A$ or $B$<br>Correct bearing (142 – 142.1)  |
| <b>Total 4 marks</b> |  |                 |      |   |
| <b>23</b> (a)        |  | $m^{11}$        | 1    | B1  |
| (b)                  |  | $27a^6b^{12}$   | 2    | B2 fully correct<br>B1 for 2 of the three terms correct in a product.   |
| (c)                  | $4g - 8h + 10g - 15h$  | $14g - 23h$     | 2    | M1 Expanding brackets with 3 of 4 terms correct.  |
|                      |  |                 |      | A1 Fully correct  |
| (d)                  | $y^2 - 7y + 5y - 35$   | $y^2 - 2y - 35$ | 2    | M1 Any 3 terms correct or 4 correct terms ignoring signs or $y^2 - 2y +/ - \dots$ or $\dots - 2y - 35$  |
|                      |  |                 |      | A1  |
| <b>Total 7 marks</b> |  |                 |      |   |

| Question      | Working  | Answer                                  | Mark | Notes   |
|---------------|--|---|------|---|
| 24            | eg $280 = 2 \times 140 = 2 \times 2 \times 70 (= 2 \times 2 \times 2 \times 35 = 2 \times 2 \times 2 \times 5 \times 7)$<br>eg $280 = 10 \times 28 = 2 \times 5 \times 28 (= 2 \times 5 \times 2 \times 14 = 2 \times 5 \times 2 \times 2 \times 7)$ | $2 \times 2 \times 2 \times 5 \times 7$ | 3    | M1 for at least 2 correct steps in repeated factorisation (may be seen in a tree diagram)   |
|               | 2, 2, 2, 5, 7  |   |      | A1dep For all correct factors, may include 1  |
|               |  |   |      | A1dep Must see correct method<br>Accept $2^3 \times 5 \times 7$   |
| Total 3 marks |  |   |      |   |
| 25 (a)        |  | $-3 \leq x < 4$                         | 2    | B2 B1 for one end of inequality correct ie<br>$-3 \leq x$ or $x < 4$<br>or $-3 < x \leq 4$  |
| (b)           | $-5 - 3 \leq 2p < 13 - 3$ or<br>$-5 - 3 \leq 2p$ and $2p < 13 - 3$ or<br>$-\frac{5}{2} \leq \frac{2p+3}{2} < \frac{13}{2}$ or<br>$-\frac{5}{2} \leq \frac{2p+3}{2}$ and $\frac{2p+3}{2} < \frac{13}{2}$  | $-4 \leq p < 5$                         | 3    | M2 Correctly subtracting 3 from each part of the inequality or dividing each term by 2<br>or $(p =) -4$ and $(p =) 5$<br>M1 for one end correct<br>e.g. $2p \geq -5 - 3$ or $\frac{2p+3}{2} < \frac{13}{2}$<br><br>or $(p =) -4$ or $(p =) 5$ |
|               |  |   |      | A1 accept $p \geq -4$ and $p < 5$   |
| Total 5 marks |  |   |      |   |