

Mark Scheme (Results)

January 2013

International GCSE Mathematics B (4MB0) Paper 01

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson. Their contact details can be found on this link: www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2013
Publications Code UG034745
All the material in this publication is copyright
© Pearson Education Ltd 2013

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
 - Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

M marks: method marks

A marks: accuracy marks

o B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- cao correct answer only
- ft follow through
- o isw ignore subsequent working
- SC special case
- o oe or equivalent (and appropriate)
- o dep dependent
- o indep independent
- eeoo each error or omission

No working

If no working is shown then correct answers normally score full marks
If no working is shown then incorrect (even though nearly correct)
answers score no marks.

With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

4MB0 January 2013 Paper 1 **Mark Scheme**

1. 23, 29, 31, 37 B1, B1

Total 2 marks

2. 6(3) - p(2) = 4

(subst.)

M1

p = 7

2 **A**1 2

Total 2 marks

3. $6 = 2 \times 3$, $15 = 3 \times 5$, $27 = 3 \times 3 \times 3$

At least two correct decompositions

M1

270

A1 2

Total 2 marks

4. (a) 3 B1 1

(b) 3

B1 1

Total 2 marks

2

 $\sqrt{3}$, $\sqrt{2.5}$, π **5.**

B1, B1

2 **Total 2 marks**

6. 360-112 OR 180+68 (o.e)

M1

248° or S68°W

2 **A**1

Total 2 marks

2

A correct decomposition of 500 into 2 or more numbers leading 7. to 10 and "n"

 $10\sqrt{5}$

A1 2

Total 2 marks

2

8. 30 B1

150 B1 2 **2**

Total 2 marks

9. (a) 30, 42 B1,B1 2

(b) Accept...

differences increase by 2 B1 1 3 differences are 2,4,6,8,10,12,... sequence is going up plus 2 then plus 4 then plus 6 $(u_n =)n^2 - n$

Total 3 marks

10. Sight of -12 (but not for $x^2 - 12$) M1

Accept f(0) = -12

f...-12 or $[-12, \infty)$ or $x^2 - 12 \ge -12$ A1 2

Total 2 marks

11. 3d = (v-2u)t (removing denominator) M1

3d - vt = -2ut (o.e: isolating term involving *u*) M1dep

OR: $d = \frac{vt}{3} - \frac{2}{3}ut \tag{M1}$

 $\frac{2}{3}ut = \frac{vt}{3} - d \tag{M1dep}$

 $\mathbf{OR:} \quad v - 2u = 3\frac{d}{t} \tag{M1}$

 $-2u = \frac{3d}{t} - v \tag{M1dep}$

 $u = -\frac{3d - vt}{2t} = \frac{vt - 3d}{2t}$ (o.e $u = \frac{v}{2} - \frac{3d}{2t}$) A1 3

Total 3 marks

12. circumference =
$$2\pi \times 6378000$$
m

$$= \frac{2\pi \times 6378000}{1000} \text{ km} \quad \text{(converting metres to km)} \qquad M1$$

12
$$756 \pi$$
 OR 12 800π (cao) A1 3 **3**

Total 3 marks

Total 3 marks

M1

13. (a) 23.95 (o.e.
$$23\frac{19}{20}$$
) B1 1

(b)
$$2.395 \times 10^1$$
 OR 2.395×10 B1 ft 1

15. (a)
$$\begin{pmatrix} 3 & -1 \\ 1 & -1 \end{pmatrix}$$
 B1 1

(b)
$$\begin{pmatrix} -10 & -7 \\ 30 & 21 \end{pmatrix}$$
 B2(-1ee) 2 **3**

Total 3 marks

16. (a)
$$42 \text{ (cm}^2$$
) B1 1

(b) perp dist
$$\times \ 8 = \text{``42''}$$
 M1

or perp dist =
$$7 \times \sin \text{``} \angle ABC\text{''}$$
 (M1)

perp dist =
$$5.25 \text{ cm}$$
 (awrt) A1 2 3

Total 3 marks

17.
$$4x-4-6x-3$$
 (o.e.)

M1

Correctly removing denominators

M1ind

$$-\frac{7}{8}$$
 or $-\frac{14}{16}$ or -0.875

A1 3 3

Total 3 marks

18.
$$2\frac{11}{12}b = 1\frac{1}{3} + 1\frac{1}{2}$$

$$b = (1\frac{1}{3} + 1\frac{1}{2}) \div 2\frac{11}{12}$$

$$b = \frac{17}{6} \times \frac{12}{35}$$
 (o.e.)

$$b = \frac{34}{35}$$

A1 4

Total 4 marks

4

19. (a)
$$26^2 = 2 AD^2$$
OR $\frac{AD}{26} = \sin \cos 45^\circ$

M1

18.4 cm

A1 2

(b) Sector *ADCP* =
$$\frac{1}{4}\pi \times "18.3847..."^2$$

M1

Shaded
$$ABC = "18.3487..."^2 - \frac{1}{4}\pi \times "18.3847..."^2$$

M1dep

$$72.4 \text{ cm}^2$$

A1 3

Total 5 marks

20. correct attempt at balancing equations

M1

correct decision to add/subtract

M1dep

OR

correct attempt to make x/y the subject

(M1)

Substituting for x (or y)

(M1dep)

$$x = -19$$

A1

$$y = 14$$

A1 4 4

Total 4 marks

21. (a) 18-x, 16-x **B**1

3

B1 2

(b) "
$$(18-x)$$
"+ x +" $(16-x)$ "+"3"=32 (o.e)

M1

x = 5

A1 2 4

Total 4 marks

22. (a)
$$\mathbf{c} = 5 \left(\begin{pmatrix} 1 \\ 4 \end{pmatrix} - 4 \begin{pmatrix} 1 \\ 2 \end{pmatrix} \right)$$
 (subst)

M1

$$\begin{pmatrix} -15 \\ -20 \end{pmatrix} \text{ OR } 5 \begin{pmatrix} -3 \\ -4 \end{pmatrix}$$

A1 2

(b)
$$|\mathbf{c}| = \sqrt{"(\pm 15)"^2 + "(\pm 20)"^2}$$

M1

$$|c| = 25$$

A1ft 2

Total 4 marks

4

23. (a)
$$\frac{5000}{80} \times 100$$

M1

£6250

A1 2

(b)
$$\frac{5000-4300}{5000} \times 100$$

M1

14%

A1 2 4

Total 4 marks

24.
$$-7 \le 3x$$
 (o.e.)

M1

$$2x \le 5$$
 (o.e.)

$$-2\frac{1}{3}$$
,, x OR x,, $2\frac{1}{2}$

A1

M1

$$-2$$
, -1 , 0 , 1 , 2

A1 4 **4**

Total 4 marks

Notes:

Both Ms must be collected in order to collect final A mark. Ignore any weak inequalities (provided right way round)

25. (a) Prob =
$$\frac{1}{4} + \frac{2}{5}$$
 (o.e)

M1

$$\frac{13}{20}$$
 (0.65, 65%)

A1 2

(b)
$$\frac{25}{100} \times \frac{40}{99}$$
 or $\frac{40}{100} \times \frac{25}{99}$

M1

$$\frac{25}{100} \times \frac{40}{99} + \frac{40}{100} \times \frac{25}{99}$$
 (o.e.)

M1dep

$$\frac{20}{99}$$
 (0.202, 20.2%)

A1 3 **5**

SC: With replacement
$$2 \times (\frac{25}{100} \times \frac{40}{100})$$
 M1, M0, A0

Total 5 marks

26. (a)
$$\frac{117 \times 3 + 108 \times 2 + 118 + 120 + 122 + 123 + 124}{10}$$
 M1

(c)
$$\frac{117+118}{2}$$
 or placing data in order M1 M1 M1 A1 2 5

Total 5 marks

2

27. (a)
$$\angle AOC = 80^{\circ}$$
 (oe) B1

$$\angle OAC = 50^{\circ}$$
 B1

Suitable valid reason (only **ONE** required) eg \angle at centre of circle (=2 × \angle at circum) or base angle of isos. \triangle B1 3

(b)
$$\angle OCD = 90^{\circ}$$
 (oe) B1

$$\angle ADC = 100^{\circ} \text{ (Isos. } \triangle)$$

Suitable valid reason (only **ONE** required)

eg \angle betw. tangent and radius

Or \angle sum of quadrilateral

B1 3 6

Total 6 marks

28. (a) perpendicular bisector construction arcs M1

Locus drawn accurately A1 2

- (b) C labelled **and** $\triangle ABC$ drawn B1 1
- (c) Arc, rad. 4cm, centre C drawn at least inside $\triangle ABC$ M1

Arc, rad. 6 cm, centre B drawn at least inside $\triangle ABC$ M1

Area shaded correctly

A1ft 3 6

Total 6 marks

29. (a)
$$\tan \angle BAC = \frac{15}{20}$$
 (o.e) M1

$$\angle BAC = 36.9^{\circ}$$
 A1 2

(b)
$$AB = \sqrt{20^2 + 15^2}$$
 M1

$$AB = 25 \text{ cm}$$
 A1 2

(c)
$$AD = 20 \times \cos 30 = 17.3$$

$$\triangle ABD = \frac{1}{2} \times "17.3" \times "25" \times \sin(30 + "36.9")$$
 M1dep

$$\Delta ABD = 199 \text{ cm}^2$$
 A1 3 **7**

Total 7 marks

TOTAL FOR PAPER : 100 MARKS

END

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481

Email <u>publication.orders@edexcel.com</u>

Order Code UG034745 January 2013

For more information on Edexcel qualifications, please visit our website $\underline{www.edexcel.com}$

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





